

**The Hepatic Personality: Integrating the Mores of Western  
Medicine, Eastern Medicine, and Psychoneuroimmunology**

Carol L. Spence

Dissertation  
submitted to the Faculty of  
Holos University Graduate Seminary  
in partial fulfillment of the requirements  
for the degree of

**DOCTOR OF THEOLOGY**

Copyright by Carol L. Spence, 2006

All Rights Reserved

The work reported in this thesis is original and carried out by me solely, except for the acknowledged direction and assistance gratefully received from colleagues and mentors.

---

Carol L. Spence

*Many times a day I realize how much my own outer and inner life is built upon the labors of my fellow men, both living and dead, and how earnestly I must exert myself in order to give in return as much as I have received.*

✧ Albert Einstein

## ACKNOWLEDGEMENTS

*Some people come into our lives and quietly go...  
Others stay awhile, and leave footprints  
On our hearts...  
And we are never the same...*  
✦ Unknown

As with *people*, some *events* come into our lives and quietly go, and others leave us forever changed. In that vein, it is with deep sincerity and humility that I acknowledge, first and foremost, the Divine presence in my life for creating an event that began with a gentle nudge for me to begin living my life's true purpose; a life in line with the integrity of my spirit. That nudge, unheeded, became a full-fledged shove into the most difficult, yet the most rewarding, journey of my life. This research is a by-product of that journey.

Gracious appreciation goes to my physician of Western medicine, Dr. Robert Gish, Medical Director, Liver Transplant Program at California Pacific Medical Center in San Francisco. I thank him for walking with me on the path to health and for helping me to make this project a reality, particularly as we labored through the arduous IRB process inherent to a major medical center. To him, I also offer unfailing admiration for the unselfish commitment he makes to humanity. I heartily applaud his open-mindedness, as he is the one who initially steered me to the notion of integrative medicine.

My first encounter with integrative medicine was with Dr. William B. Stewart, Director of the Institute for Health and Healing, also at California Pacific Medical Center. As my journey unfolded, he helped me to see that I, alone, was responsible for *true* healing and well-being, and he ardently encouraged me to identify – and *live my dream*. I will be forever grateful for his insights and his wish for me: "I hope you dance."

Three years ago, as synchronicity would have it, I was introduced to C. Norman Shealy, M.D., Ph.D. and Holos University, and the rest is history. To Norm, my doctoral committee chair and mentor, goes a big beautiful bouquet for his brilliance and commitment to the work of integrative medicine – perhaps more correctly described as holistic medicine – on a global level, and for his resolute guidance and steadfast support, on a personal level. I consider Norm, without question, the foremost authority on holistic medicine and spiritual healing.

I thank the members of my doctoral committee: Dr. Paul Thomlinson (who was also my esteemed statistician), Dr. David Eichler, and Dr. Marcia Emery, and my consultant, Dr. Francesca McCartney, for their time, energy, gentle guidance, support and commitment to my work. Their kindness and generosity of spirit was greatly appreciated and received with warmth and love.

To the students and faculty of Holos, I owe a debt of gratitude for providing the means with which to balance and integrate more clearly the great powers in me and

around me. I offer gracious appreciation for abiding guidance and wisdom; for making available the environment, rich in nutrients and light, in which to grow and learn...and yes, dance.

I thank all of the physicians, nurse practitioners, and medical assistants with whom I interacted during this research project, both at California Pacific Medical Center in San Francisco and at the various outreach clinics of CPMC, specifically Robert Gish, M.D., Ed Wakil, M.D., Todd Frederick, M.D., Natalie Bzowej, M.D., Mauricio Bonacini, M.D., and Tami Dougherty, M.D.; and Nurse Practitioners Barbara Sigler and Kim Barnett. A big hug goes to Carla Bello of Hepatology Research, for her tireless effort in shepherding this project through the hospital IRB. All of these individuals were extremely gracious and displayed the utmost respect for my work.

Special thanks go to Misha Cohen O.M.D., whose work in Chinese medicine I had long admired from afar. Little did I know she would answer an email in which I asked for her support of my research! She enthusiastically and joyfully joined me in *this* dance by endorsing, and allowing me to promote this project to her patients.

I owe all of my research participants an enormous debt of gratitude, particularly those patients with Hepatitis C, who so willingly and unselfishly gave of their time and energy in spite of their illness. Their courage humbles me; their situations and challenges are a reminder for me to forever believe in miracles. I do so with gratitude and awe.

Finally, heartfelt thanks and love go to my husband, Stuart. Rarely do I take the time these days for anything that doesn't relate to my studies, much less take the time to thank him for honoring my educational commitment. My deep gratitude goes to Stuart for remaining by my side through this process. The last three years have been an intense exercise in following my dream, and I have, indeed, taken prized time away from him and my precious "girls" in fur suits: Cali, Meggie, and Mercedes ("Cedes"), the magical threesome generally found sleeping at my feet as I sat at my computer for untold hours. They emanated tranquility, acceptance, and unconditional love – important energies that, unknown to them, kept me going, oftentimes into the wee hours of the night.

To all of the parties mentioned, and to the individuals who, God forbid, may have gone unmentioned, I thank you from the bottom of my heart. It was a thrill, a privilege and an honor to have this dance.

*I hope you never lose your sense of wonder ...  
I hope you still feel small  
When you stand by the ocean...  
I hope you never fear those mountains in the distance,  
Never settle for the path of least resistance ...  
And when you get the choice to sit it out or dance*

***I hope you dance***

✦ Tia Sillers

## ABSTRACT

*Put it before them briefly so they will read it, clearly so they will appreciate it, picturesquely so they will remember it, and above all, accurately so they will be guided by its light.*

➤ Joseph Pulitzer

The purpose of this study was to examine the attitudes, emotions, and behaviors of individuals with chronic hepatitis C virus (HCV) to determine whether a configuration of personality traits – particularly anger, anxiety, and low self-esteem – exists common to individuals with HCV and to analyze the potential association of these traits relative to the existence and/or exacerbation of the disease. It was also the aim of this study to lend quantitative foundation to qualitative inference as relates to psychological contributors to disease by integrating the mores of Western medicine, Eastern medicine (with emphasis on Chinese medicine) and psychoneuroimmunology.

A total of 204 subjects were enrolled, including 104 subjects with documented chronic HCV and 100 subjects without HCV or other forms of liver disease. Each participant completed *The State-Trait Anger Expression Inventory-2*<sup>™</sup> (STAXI-2<sup>™</sup>), *The State Trait Anxiety Inventory*, Form Y (STAI), and the *Multidimensional Self-Esteem Inventory* (MSEI). The ability to discriminate between individuals with HCV and those without liver disease was assessed by forced entry and stepwise methods of discriminant analysis. The forced entry analysis model demonstrated significance ( $p < .001$ ) and 79.4% accuracy in classifying cases into HCV and non-HCV groups. (For the purpose of this study, the non-HCV group is called the control group throughout this dissertation.) Stepwise analysis was conducted to identify the smallest number of variables and to provide maximum discrimination between groups. A four variable model emerged that demonstrated significance ( $p < .001$ ) and 77% accuracy in classifying cases into HCV and control groups.

The high level of classification accuracy demonstrated in this study is particularly remarkable because liver disease is generally recognized merely from a scientific perspective on the basis of medical tests and opinion rather than being considered even remotely associated with psychological characteristics.

## TABLE OF CONTENTS

| Section   | Page Number |
|---|-------------|
| ACKNOWLEDGEMENTS.....   | iv          |
| ABSTRACT.....   | vi          |
| TABLE OF CONTENTS.....  | vii         |
| LIST OF FIGURES .....   | ix          |
| LIST OF TABLES.....   | x           |
| CHAPTER 1: Introduction .....   | 1           |
| Statement of the Problem.....   | 2           |
| Purpose of the Study .....  | 3           |
| CHAPTER 2: Review of Literature.....  | 5           |
| Disease According to the Traditions of Western Medicine, Eastern Medicine, and<br>Psychoneuroimmunology ..... | 9           |
| Western Medicine .....  | 9           |
| Eastern Medicine .....  | 9           |
| Psychoneuroimmunology .....   | 10          |
| An Integrative Approach to Health.....  | 12          |
| The Liver - East and West .....   | 14          |
| Hepatitis C .....   | 16          |
| The Personality's Role In Disease.....  | 17          |
| Personality Testing.....  | 22          |
| <i>State Trait Anger Expression Inventory-2™</i> .....  | 22          |
| <i>The State Trait Anxiety Inventory, Form Y (STAI)</i> .....   | 23          |
| <i>Multidimensional Self-Esteem Inventory (MSEI)</i> .....  | 23          |
| Summary .....   | 24          |
| CHAPTER 3: Research Methods.....  | 31          |
| General Study Design .....  | 31          |
| Overview.....   | 31          |
| Subjects.....   | 31          |
| Sample Demographics .....   | 32          |
| Procedure .....   | 32          |
| Materials .....   | 37          |
| Methods of Data Analysis:.....  | 42          |
| CHAPTER 4: Results .....  | 44          |
| Forced Entry Discriminant Analysis Results.....   | 48          |
| Stepwise Discriminant Analysis Results .....  | 49          |
| Ancillary Results.....  | 55          |
| CHAPTER 5: Conclusions, Discussion, and Suggestions.....  | 62          |
| Discussion.....   | 62          |
| Four Variable Model - East and West.....  | 63          |
| Body Functioning.....   | 63          |
| Anxiety.....  | 65          |
| Self-Esteem.....  | 67          |

|   |     |
|---|-----|
| Anger Expression.....   | 68  |
| Four Variable Model as Seen Through the Eyes of Psychoneuroimmunology.....  | 71  |
| Why HCV? A Closer Look.....   | 72  |
| Additional Findings .....   | 74  |
| A Final Thought.....  | 82  |
| Summary .....   | 85  |
| Conclusions.....  | 88  |
| Suggestions for Future Research .....   | 90  |
| REFERENCES and BIBLIOGRAPHY .....   | 96  |
| APPENDIX A.....   | 106 |
| Components of Self-Esteem as Defined by Edward O'Brien, Ph.D. and Seymour Epstein,<br>Ph.D. - Characteristics of High and Low Scorers ..... | 106 |
| APPENDIX B .....  | 108 |
| California Pacific Medical Center Research Consent Form .....   | 108 |
| APPENDIX C .....  | 114 |
| Participant Informed Consent Form - Chinese Medicine Clinic .....   | 114 |
| APPENDIX D.....   | 115 |
| Participant Informed Consent Form - General.....  | 115 |
| APPENDIX E .....  | 116 |
| Patient Questionnaire - HCV .....   | 116 |
| APPENDIX F.....   | 117 |
| State-Trait Anxiety Inventory - Form Y .....  | 117 |
| APPENDIX G.....   | 118 |
| State-Trait Anger Expression Inventory - 2 <sup>TM</sup> .....  | 118 |
| APPENDIX H.....   | 119 |
| Multidimensional Self-Esteem Inventory .....  | 119 |
| APPENDIX I .....  | 120 |
| Research Summary .....  | 120 |
| APPENDIX J .....  | 122 |
| Protected Authorization for the Use and Disclosure of Protected Health Information for<br>Research.....                                     | 122 |
| APPENDIX K.....   | 128 |
| Recruitment Flier .....   | 128 |
| APPENDIX L .....  | 129 |
| Patient Questionnaire - Control Group .....   | 129 |
| APPENDIX M .....  | 130 |
| Publishers' Permission Letters .....  | 130 |

## LIST OF FIGURES

| <b>Figure</b> |   | <b>Page Number</b> |
|---------------|---|--------------------|
| Figure 1.     | Percentage of Study Participants by Gender.....               | 46                 |
| Figure 2.     | Educational Mix of Study Participants. ....                   | 46                 |
| Figure 3.     | Group Comparison - Anger, Anxiety, and Self-Esteem. ....      | 49                 |
| Figure 4.     | Four Variable Model - A Comparison by Groups. ....            | 55                 |
| Figure 5.     | Anger Expression Index, A Comparison. ....                    | 70                 |
| Figure 6.     | Trait Anger by Treatment Modality.....                        | 75                 |
| Figure 7.     | Anger Expression Index by Treatment Modality.....             | 76                 |
| Figure 8.     | State Anxiety by Treatment Modality.....                      | 76                 |
| Figure 9.     | Trait Anxiety by Treatment Modality.....                      | 76                 |
| Figure 10.    | Global Self-Esteem by Treatment Modality .....                | 77                 |
| Figure 11.    | Identity Integration by Treatment Modality. ....              | 77                 |
| Figure 12.    | Competence by Treatment Modality. ....                        | 77                 |
| Figure 13.    | Moral Self-Approval by Treatment Modality.....                | 78                 |
| Figure 14.    | Personal Power by Treatment Modality .....                    | 78                 |
| Figure 15.    | Body Appearance by Treatment Modality.....                    | 78                 |
| Figure 16.    | Body Functioning by Treatment Modality. ....                  | 79                 |
| Figure 17.    | State Anger by Treatment Modality. ....                       | 79                 |
| Figure 18.    | Self-Control by Treatment Modality. ....                      | 80                 |
| Figure 19.    | Lovability by Treatment Modality.....                         | 80                 |
| Figure 20.    | Defensive Self-Enhancement by Treatment Modality.....         | 81                 |
| Figure 21.    | All Anger and Anxiety Scales by Treatment Modality. ....      | 83                 |
| Figure 22.    | Self-Esteem Scales and Sub-Scales by Treatment Modality. .... | 84                 |
| Figure 23.    | Integration of the Three Mores .....                          | 90                 |

## LIST OF TABLES

| <b>Table</b> |   | <b>Page Number</b> |
|--------------|---|--------------------|
| Table 1.     | Descriptive Statistics for HCV and Control Groups.....                  | 45                 |
| Table 2.     | HCV Group Descriptive Statistics.....                                   | 47                 |
| Table 3.     | Control Group Descriptive Statistics.....                               | 48                 |
| Table 4.     | Forced Entry Classification Results.....                                | 49                 |
| Table 5.     | Group Statistics - HCV, Control, and Total.....                         | 51                 |
| Table 6.     | Tests of Equality of Group Means as Revealed by Stepwise Procedure..... | 52                 |
| Table 7.     | Four Variable Model with Variables Entered/Removed.....                 | 53                 |
| Table 8.     | Variables in the Analysis - Four Variable Model.....                    | 53                 |
| Table 9.     | Wilks Lambda Results - Four Variable Model.....                         | 54                 |
| Table 10.    | Classification Results - HCV and Control Groups.....                    | 54                 |
| Table 11.    | Variables by Clinic - HCV Group.....                                    | 56                 |
| Table 12.    | Independent Samples Test by Variable.....                               | 57                 |
| Table 13.    | Case Processing Summary - Anger/Anxiety - HCV Group.....                | 59                 |
| Table 14.    | Comparison of Anger and Anxiety Variables by Treatment Type.....        | 59                 |
| Table 15.    | Case Processing Summary GSE, SFC, IDN, DEF, CMP.....                    | 60                 |
| Table 16.    | Comparison of Self-Esteem Scales by Treatment Type - Part 1.....        | 60                 |
| Table 17.    | Case Processing Summary LVE, PWR, MOR, BAP, BFN.....                    | 61                 |
| Table 18.    | Comparison of Self-Esteem Variables by Treatment Type - Part 2.....     | 61                 |

## CHAPTER 1: INTRODUCTION

*Each variable in any system interacts with the other variables so thoroughly that cause and effect cannot be separated. A simple variable can be both cause and effect. Relationship is everything.*

➤ Marilyn Ferguson

The myriad contributing factors to disease are perhaps as numerous as the types of diseases themselves. Western medicine places emphasis on causal factors such as genetics and agents *external* to the individual: bacteria, viruses, environmental pollutants and self-inflicted toxins from addictive habits as drugs, tobacco and alcohol. Eastern medicine places emphasis on the behaviors, attitudes and emotions *internal* to the individual as the root cause of health or illness. Illness represents a cycle of compromised soma, psyche, and personality. Integral to Eastern and Western medicine is the science of psychoneuroimmunology (PNI) that reinforces the mind/body connection and espouses the belief that the body's health is affected by one's attitudes and emotions; that the way one thinks, feels, and behaves affects the body – positively or negatively.

By integrating the mores of Western medicine, Eastern medicine (with emphasis on Chinese medicine), and psychoneuroimmunology, this study lends quantitative foundation to qualitative inference relative to the theory of psychological contributors to disease and demonstrates that personality characteristics – behaviors, attitudes, beliefs, and emotions – not only contribute to illness but are associated with disease of a *specific* organ of the body.

Current research in the areas of behavioral medicine and psychoneuroimmunology reveals that there is a direct correlation between personality and illness.<sup>1</sup> It is widely known and accepted that particular behaviors and emotions translate to heart disease. For

example Meyer Friedman's "Type A" behavioral research indicated that the negative emotions and behavior associated with stress, especially hostility, time urgency, and insecurity, contributed to the onset of atherosclerosis and myocardial infarctions.<sup>2</sup> In fact, it is said that the cornerstone of evidence to support the role of personality in the initiation and progression of physical disease is a body of work initiated by Meyer Friedman and Ray Rosenman (1959).<sup>3</sup> "This work continues to make the most convincing case for a causal role of personality in the development of physical disease."<sup>4</sup>

It is the aim of this study to show that there are predictable personality characteristics – namely anger, anxiety, and low self-esteem – associated with disease of the liver in the same vein as Friedman's research that showed that Type A behavior is associated with heart disease. Moreover, by quantifying the mind/body relationship, the import of the whole-person ("whole-istic") approach to illness and healing is framed in language that the scientist, as well as the practitioner of complementary alternative medicine (CAM), can embrace.

### **Statement of the Problem**

Though lessening to some degree, Western medicine, in general, disavows qualitative inference relative to the body/mind connection, particularly as it relates to psychological contributors to disease. There are practitioners of Western medicine who do accept that one's attitudes and emotions play a role in physical illness – and wellness – and that the mind has the power to affect the course and outcome of one's health. Practitioners of Eastern medicine place emphasis on the behaviors, attitudes and emotions of the individual as the root *cause* of health or illness. This research assists in bridging

the gap between Eastern and Western medicine by showing quantitatively that there is an association between personality characteristics and chronic liver disease, namely HCV.

### **Purpose of the Study**

It is important to examine the significance and impact of our personalities on our health, particularly if there are predictable personality characteristics conducive to disease, or the exacerbation of disease – in this case chronic hepatitis C. This study examined the personality traits of anger, anxiety, and low self-esteem, arguably innate to the human condition, to determine if they are associated with and/or are contributory to HCV.

With the determination that specific personality traits are associated with HCV, a behavioral modification component to health care can be proposed to optimize the well-being of individuals inflicted with this insidious disease of epidemic proportions.

## Chapter 1 Endnotes

---

<sup>1</sup> Carol Ritberger, *What Color is Your Personality?: Red, Orange, Yellow, Green* (Carlsbad, CA: Hay House, 2000), 9.

<sup>2</sup> <http://circ.ahajournals.org/cgi/content/full/104/23/2758> (accessed on November 5, 2005).

<sup>3</sup> Stephen Sutton, Andrew Baum, and Marie Johnston, eds. *The Sage Handbook of Health Psychology* (Thousand Oaks, CA: Sage Publications, 2005), 145.

<sup>4</sup> *Ibid.*, 146.

## CHAPTER 2: REVIEW OF LITERATURE

*Health is very much a product of beliefs and values, of emotional experiences and patterns of behaviour.<sup>1</sup>*

✦ Daverick Leggett

The blend of physiological and psychological components with disease and wellness, or the mind-body connection, has not been openly discussed in the scientific community until fairly recent times; however the origins of this important concept began with such notables as Hippocrates (460–370 B.C.), often referred to as "the father of medicine." Hippocrates theorized that health was related to the balance of four bodily humors.<sup>2</sup> The four humors were fluids that were thought to permeate the body and influence its health, and the imbalance of humors, or *dyscrasia*, was thought to be the direct cause of all diseases.<sup>3</sup> It is said that Aristotle (384-322 B.C.) pointed to the connection between mood and health: "Soul and body, I suggest react sympathetically upon each other."<sup>4</sup> Galen (A.D. 131-201) proposed that a balance of the "passions" was essential for physical health. In the days of ancient Greece, people recognized that illness came from physical and emotional challenges, unhealthy habits and toxic attitudes.

Scientific research strongly suggests that what we think, believe, and how we behave can improve or exacerbate a variety of illnesses, including asthma, heart disease, gastrointestinal disorders, musculoskeletal diseases, endocrine disorders, and obesity.<sup>5</sup> James Gordon (1996) writes of the same diseases owing responsibility in part to one's attitudes and behaviors, adding such notables as cancer, arthritis, depression, migraine headaches, eating disorders, fibromyalgia, and immune deficiency syndrome. He states,

“The majority of American adults, and a significant minority of our children, suffer from one or more chronic, often debilitating, sometimes life-threatening illnesses.”<sup>6</sup> Indeed, it is possible that various illnesses have genetic predispositions at their root, but Gordon claims, “*All...are shaped by the ways we think and feel, eat and exercise, work and play...by the stresses we experience and the way we respond to them.*”<sup>7</sup>

Caroline Myss (1996) states, "Unquestionably, a strong link exists between physical and emotional stresses and specific illnesses...emotional and spiritual stresses or diseases are the root causes of *all* physical illnesses. Moreover, certain emotional and spiritual crises correspond quite specifically to problems in *certain parts of the body*" (italics added for emphasis).<sup>8</sup> Further, according to Myss, "The links between our emotional and spiritual stresses and specific illnesses are best understood in the context of the anatomy of the human energy system"<sup>9</sup>...and by identifying and understanding the interconnection of body, mind and spirit.

Candace Pert (1999) writes of the significance of psychosomatic causes of illness. She breaks the word *psychosomatic* into its parts, and it becomes *psyche*, meaning mind or soul, and *soma*, meaning body.<sup>10</sup> She believes that "virtually all illness; if not psychosomatic in foundation, has a definite psychosomatic component."<sup>11</sup> One's physiology changes when the body is under considerable stress. Under stress, the autonomic nervous system, neuroendocrine axis, and limbic system of the brain are aroused. Increased pulse, breathing rates, dizziness, tingling and numbness in hands and feet, headaches, abdominal discomfort, and tightness in the chest are among the resulting conditions.<sup>12</sup>

Most health professionals will agree that one's attitudes and emotions contribute to physical illness – and wellness; that the mind has the power to affect the course and outcome of one's health, however because the field of Western medicine has become so specialized, it is easy to lose sight of the body/mind connection in the treatment of the patient. It is important for health professionals to understand the need to treat the *whole* person rather than mere fragmented parts of the body.

Arthur Kleinman (1988), in his *Illness Narratives*, states "For members of Western societies the body is a discrete entity, a thing, an 'it,' machinelike and objective, separate from thought and emotion. For members of many non-Western societies, the body is an open system linking social relations to the self, a vital balance between interrelated elements in a holistic cosmos. Emotion and cognition are integrated into bodily processes. The body-self is not a secularized private domain of the individual person but an organic part of a sacred, sociocentric world, a communication system involving exchanges with others (including the divine)."<sup>13</sup>

To honor the whole-person philosophy of treatment is to understand such findings as revealed in a study undertaken in 1973 by the Department of Health, Education and Welfare in Massachusetts that showed that "the best predictor for a heart attack was not high blood pressure...cholesterol...or smoking -- but job satisfaction."<sup>14</sup> Another example of this phenomenon exists in a study by Levy, Herberman, Lippman, & D'Angelo (1987) in which it was observed that emotional stress was associated with reduced natural killer cell activity among patients with breast cancer, which, in turn, was shown to be associated with poorer prognosis. "That is, node positive patients had lower levels of natural killer cell activity than node negative patients."<sup>15</sup>

According to Caroline Thomas of Johns Hopkins, “Thirty years of intensive research...have so far failed to discover the single ‘cause’ of cancer, heart attack, or mental illness. The time has now come to consider another concept of disease etiology...”<sup>16</sup> Kleinman (1988), in line with the adage, “People are not sick because they have an illness, but have an illness because they are sick,” cites numerous cases in which illness is a representation of inner turmoil. He introduces the importance of personality type to the exacerbation of the health challenge: “When our personality type is such that we exaggerate the significance of stress or anxiously ruminate about our bodily processes, then amplification of physical symptoms is enhanced.”<sup>17</sup>

Yet another aspect of this philosophy lies in the revelation of research that whether or not a disease manifests for genetic reasons or is virus or bacteria based, not everyone at risk or exposed will present with the disease. Further, a puzzle exists as to how the same virus or microbe may “cause” different diseases in different people – or perhaps will not manifest at all in others. “*Treponema palidum*, as an example, may result in inflammation of the aorta in one person, syphilis of the brain in a second and no disease at all in a third.”<sup>18</sup> Specific to this research is the fact that HCV, once believed to affect only the liver, can affect almost any organ in the body.<sup>19</sup> Findings have shown that the key lies with the condition of our individual immune systems and that our susceptibility to disease is linked to the vitality of our life force and our ability to cope with – and the way in which we view – our life and environment. Indeed, it has been argued that “...distress-related immune dysregulation may be one core mechanism behind a large and diverse set of health risks associated with negative emotions.”<sup>20</sup>

## Disease According to the Traditions of Western Medicine, Eastern Medicine, and Psychoneuroimmunology

### **Western Medicine**

Disease, under the construct of Western medicine is defined as a pathological condition of a part, organ, or system of an organism resulting from various causes, such as infection, genetic defect, or environmental stress, and characterized by an identifiable group of signs or symptoms.<sup>21</sup> As relates to liver disease, threats to the liver from the view of Western medicine include genetic transference, environmental and viral toxins, obesity, and such behavioral factors as alcohol consumption and drug usage. Liver diseases are known as viral hepatitis (A, B, C and D), autoimmune liver disease, fatty liver, alcohol-induced liver disease, cirrhosis, cancer, and Wilson's disease.

### **Eastern Medicine**

The Eastern view of disease is far more complex. The general premise of Eastern tradition is that body, mind, and spirit are interwoven and that when all three are balanced the individual is healthy; when one or more of the triad is out of balance, illness results. "When the flow of *Qi* is unimpeded there is harmony, balance, and good health. When there are *Qi* blockages, too much or too little *Qi*, there is an imbalance which can lead to disharmony and disease."<sup>22</sup>

Chinese Medicine, specifically teaches that certain types of people emerge from the configurations of physique and character that correspond with the organ networks and that through their predispositions and tendencies, these types make, or certainly contribute to, their diseases.

In India and China, health is considered a balance among the body's humors and the constituents of the outer world mediated by diet and a hierarchy of social relations tightly organized around a systematic categorization of the world in terms of purity and pollution.<sup>23</sup> Bodily complaints are a reflection of moral problems and a result of disharmonies in social relationships and in the cultural ethos.<sup>24</sup> The Tantric philosophy of ancient India and that of Chinese medicine are based on an energetic system of Five Elements. The Elements correspond to the way in which an individual perceives his connection to his or her world, and the individual's most dominant personality traits link him with a specific element. For example, "In Chinese medicine, it is said that the *Element of Wood* involves the structuring of potential into experience – what has been called 'the Plan,' your program for your life. Wood also relates to the liver...the liver bears the brunt of our 'worry' – obsessing over the Plan and the countless ways it might miscarry."<sup>25</sup> Since the "Plan points the direction for your life, disturbances of the Wood Element involve confusion about where you're going and why. Anger about being out of synch with your Plan leads to liver problems."<sup>26</sup>

### **Psychoneuroimmunology**

The term, psychoneuroimmunology, coined by Robert Ader in 1981, describes the interactions among behavior, neural and endocrine function, and immune processes relative to health and disease. Breaking the word into its parts, psychoneuroimmunology combines the mind (psychology), the brain (neurology), and the body's natural healing system (the immune system).

Research in the neurosciences has revealed that there are chemical messengers from the brain that influence the body and communicate on a cellular level. Among these chemicals are stress hormones and neurotransmitters that vary according to attitudes, moods, and emotions. Candace Pert, a research professor in the Department of Biophysics and Physiology at Georgetown University School of Medicine and one of the pioneers of psychoneuroimmunology, was instrumental in finding that chemicals inside the physical body form a dynamic information network. Through this network, according to Pert (1997), mental attitudes and emotional responses can affect physical functioning and produce illness. “The three classically separated areas of neuroscience, endocrinology, and immunology, with their various organs – the brain; the glands; and the spleen, bone marrow, and lymph nodes – are actually joined to each other in a multidirectional network of communication, linked by information carriers known as neuropeptides.”<sup>27</sup> Pert has shown that emotions govern every system of the body. “These neuropeptides run your physiology, your health, or your tendency toward disease.”<sup>28</sup>

Simplistically stated, when negative emotions reign supreme, and the individual is not equipped to cope with them productively, "molecules of emotion" diffuse through the fluids surrounding each cell of the body and bind themselves via ligand (neurotransmitter, steroid, and/or peptide) to its own specific receptor on the surface of a cell. The receptor then transmits the ligand from the surface of the cell, deep into the cell's interior, where the message can change the state of the cell dramatically.<sup>29</sup> Pert describes this ligand-receptor system as a "second nervous system" (second to the brain and its extension, the central nervous system) – a chemically-based system, "one

indisputably more ancient and far more basic to the organism. There were peptides such as endorphins...being made inside cells long before there were dendrites, axons, or even neurons – in fact, before there were brains."<sup>30</sup> "In the wake of discoveries in the 1980s, these receptors and their ligands have come to be seen as "information molecules" – the basic units of a language used by cells throughout the organism to communicate across systems such as the endocrine, neurological, gastrointestinal, and...the immune system."<sup>31</sup>

In an article entitled, "Emotions, Morbidity, and Mortality: New Perspectives from Psychoneuroimmunology,"<sup>32</sup> Kiecolt-Glaser, McGuire, Robles and Glaser frame Pert's "molecules of emotion" theory in the context of the production of proinflammatory and anti-inflammatory cytokines (protein substances released by cells that serve as intercellular signals to regulate immune response) that influence a host of medical conditions that can be directly stimulated by negative emotions and stressful experiences.<sup>33</sup> When anti-inflammatory cytokines take over, they "dampen the immune response, causing...decreased cell function and synthesis of other cytokines."<sup>34</sup> It would follow that negative emotions give rise to inflammation that could indeed promote, worsen – or at the very least be associated with – liver inflammation, i.e.: HCV.

### **An Integrative Approach to Health**

As its title reveals, this study is an attempt to bridge the gap between Western and Eastern medicine. It is no easy task to bring East and West together since a major issue between the two is incompatibility due to the fundamental difference between their dominant world-views and philosophies.<sup>35</sup> In today's world, because there is increased

consciousness and awareness of environmental issues, health issues, and the responsibility of mankind, it would seem that the integration of East and West would be mutually beneficial. Stanislav Grof (1983) states, "Western scientific disciplines have described the universe as an infinitely complex mechanical system of interacting discrete particles and separate objects...matter appears to be solid, inert, passive and unconscious."<sup>36</sup> In this framework, Western science recognizes as real only those phenomena, including bodily ailments, which can be objectively observed and measured. Eastern philosophy defines humans in far greater perspective – commensurate with the entire universe that includes a *greater power*.

Margaret Caudill, research fellow in Medicine at Harvard Medical School assesses one of the difficulties that arises when attempting to bring Western and Eastern medicine (specifically Chinese medicine) together, stating, "Almost none of the traditional Chinese medical texts are available in English, and those that are available make little or no attempt to present the cultural medical tradition *in toto*. Even translated works pose the problem of a completely unfamiliar approach to disease and a foreign terminology. Only someone familiar with the Chinese language, naturalist and Taoist philosophy, and with Chinese culture as it has been influenced by these philosophies, would be able to comprehend the Chinese medical tradition."<sup>37</sup> The Chinese have observed life processes and relationships between individuals and their environments for thousands of years, and "the art of Chinese medicine has developed vocabulary to describe myriad subtle body patterns, a method of description not available to Western medicine because of its emphasis on disease states. The Chinese approach is a more holistic consideration of health and disease and of the delicate interplay between these opposing forces."<sup>38</sup>

Ted Kaptchuk (2000) contrasts the Western and Eastern medical structures by describing Western medicine as primarily concerned with isolable disease categories, or agents of disease, which it targets, isolates and tries to change, control, or destroy.<sup>39</sup> According to Kaptchuk (and admittedly very simplistically stated), the Western physician starts with a symptom and then searches for the underlying mechanism – a precise *cause* for a specific *disease*.<sup>40</sup> Although the disease may affect various parts of the body, it is a relatively well-defined, self-contained phenomenon. Precise diagnosis frames a rather narrow quantifiable description, and the physicians' logic is analytic.<sup>41</sup> Chinese physicians, on the other hand direct their attention to the *whole* individual - both physiological and psychological components. "All relevant information, including the symptom as well as the patient's other general characteristics, is gathered and woven together until it forms what Chinese medicine calls a 'pattern of disharmony.'"<sup>42</sup> This pattern of disharmony describes a situation of imbalance,<sup>43</sup> or what Westerners would term disease.

### **The Liver - East and West**

Scientifically speaking, the liver, the largest internal organ in the body, is essential in keeping the body functioning properly. It removes or neutralizes poisons from the blood, produces immune agents to control infection, and removes germs and bacteria from the blood. It makes proteins that regulate blood clotting and produces bile to help absorb fats and fat-soluble vitamins. The liver performs many important functions that keep a person healthy. It removes harmful material from the blood. It makes enzymes and bile that help digest food. It also converts food into substances needed for life and growth.<sup>44</sup>

In line with Chinese tradition, "Liver" (organs are capitalized) refers to a wide and interrelated set of functions rather than a fixed object. "This set of functions can be observed at work in and around the Liver as well as at all other levels of the body-mind: these include physical as well as emotional, mental, and spiritual levels."<sup>45</sup> That is to say that the Chinese concept of Organ is a description of a wide range of functions and processes which take place in many different aspects and sites of the bodymind.<sup>46</sup> (Bodymind in this context, and according to Chinese tradition, refers to the "inseparable nature of body and mind.")<sup>47</sup>

Theory of Chinese medicine likens the Liver to a military commander "who formulates strategy and tactics...and...exercises authority in collecting and directing the *Blood*."<sup>48</sup> The liver stores and distributes blood, and this regulation process determines the quantity and pressure of the blood in the physical body and the evenness of emotion and consistency of behavior in the feeling body. When this process is jeopardized, "erratic activity in the body and a volatile temperament" ensues.<sup>49</sup> A "healthy" liver balances emotions and protects against frustration and sudden anger.<sup>50</sup>

While the Chinese focus is on how the organs relate to the individual's relationship to *worldly* matters, other Eastern traditions focus on the relationship between the organs and the energy centers of the body, known as chakras – and their connection with the spiritual realm. In other words, the chakras are the areas of interconnection between body and spirit.<sup>51</sup> From ancient times, belief has been that there is a specific relationship between each chakra and a location and an organ within the physical body. There are seven major chakras in the body – the third of which is found in the solar plexus and is the area in which the liver resides. According to tradition, psychological threats to this chakra

include issues of self-esteem, self-confidence, self-respect, sensitivity to criticism, responsibility for making decisions, care of oneself and others, trust, fear and intimidation.<sup>52</sup> "This energy center relates most strongly to the belief patterns we hold about ourselves, including our physical appearance, intelligence, physical abilities, and skills...In short, this chakra is the center of our self-esteem..."<sup>53</sup>

## Hepatitis C

According to Western medicine, the Hepatitis C virus (HCV) is generally transmitted through blood-to-blood contact. HCV is an RNA (Ribonucleic acid) virus that is capable of mutating rapidly within the human body and uses this mutational process to invade the immune system which in turn results in a frequent chronic disease and rare spontaneous "cure" or clearance of disease. HCV is one of the most important forms of chronic disease discovered in the last twenty years<sup>54</sup> and is the most prevalent liver disease in the world.<sup>55</sup> The World Health Organization considers Hepatitis C an epidemic. It is often called the "silent" epidemic because it can infect a patient for decades before being discovered. According to the Center for Disease Control (CDC), 20 to 30% of people with chronic Hepatitis C will eventually face life-threatening diseases such as cirrhosis or liver cancer.<sup>56</sup> Currently, it is estimated there are about 170 million people worldwide who are infected with HCV, and 54 million of those individuals are in the United States. In industrialized countries, HCV accounts for 20% of cases of acute Hepatitis, 70% of cases of chronic hepatitis, 40% of cases of end-stage cirrhosis, 60% of cases of hepatocellular carcinoma and 30-54% of liver transplants. Chronic hepatitis C virus infection is the leading cause of cirrhosis in this country.<sup>57</sup>

In the United States, the incidence of new symptomatic infections of HCV has been estimated to be 13 cases/100,000 persons annually. For every person who is infected with the AIDS virus, there are more than four infected with HCV.<sup>58</sup> The CDC estimates that there are up to 60,000 new HCV infections in the U.S. every year, with 8,000 to 10,000 deaths each year resulting from chronic HCV. The HCV virus is difficult to treat due to resistance to medication, and once HCV is chronic, spontaneous clearance is rarely seen.

The following discussion will link the philosophies of Eastern medicine and psychoneuroimmunology to the Western definition of HCV by more specifically defining the personality and demonstrating how it contributes to the creation of disease.

### **The Personality's Role In Disease**

Carol Ritberger (2000) writes that the key to both the way and degree in which stress and emotions contribute to the formation of disease presents in the human body lies in the personality. "Your personality is the organizing principle that affects all aspects of your life: your lifestyle, your work habits, your relationships, your stress responses, and your health."<sup>59</sup> Personality is comprised of attitudes, beliefs, emotions, and behaviors. There are two aspects of the personality – traits and characteristics. Traits are genetic, unique to the individual, and do not change over the course of one's lifetime.<sup>60</sup> Characteristics are learned and can be changed as we adapt to our ever-changing environment.<sup>61</sup> What determines our level of flexibility and adaptability, however, is driven by the boundaries predetermined by our personality traits.<sup>62</sup>

Our flexibility and adaptability govern the way in which we are able to cope with the stressors of life. It is said that it is not the stress in our lives that is dangerous to our

health but the way in which our personalities dictate how we will deal with it. In the 1920's Hans Selye, a European physician trained at the German University in Prague, developed the concept of *stress* and the body's adaptive reactions to any demand or "the rate of wear-and-tear caused by life."<sup>63</sup>

A number of agents can cause stress, including intoxication, trauma, nervous strain...polluted air and radiation. According to Selye, the body reacts to stress in the same way it reacts to danger - by going through a series of biochemical changes, which he called the General Adaptation Syndrome (GAS). In the first phase, the body mobilizes its defenses against the stressor agent in a "fight or flight" response: the heartbeat is accelerated, blood pressure levels are elevated, an increased amount of blood flows to the muscles, and the lungs dilate to increase respiratory effort. The second phase of GAS is the "resistance phase" during which the body continues to fight the stress long after the effects of the "fight or flight" response have worn off. *If infectious agents induce the stress, the body's immune system activity increases; if the stress is physical, the neuroendocrine system converts protein to energy; if the stress is psychological, a combination of responses may occur* (italics added for emphasis).<sup>64</sup>

Stress, according to Selye, could be anything from prolonged food deprivation to the injection of a foreign substance into the body, to a good muscular workout. By "stress," he did not mean only "nervous stress," but "the nonspecific response of the body to any demand."<sup>65</sup> It is important to remember that Hepatitis C is a virus (stressor) that enters the body through the blood, generally affecting the liver at varying degrees depending on the condition of the individual's immune system. "There are people whose immune systems are capable of getting rid of HCV...however...others' immune systems allow the virus to persist, leading to potentially serious consequences."<sup>66</sup>

Research on personality and health related to explanatory mechanisms has seen considerable progress over the past few decades.<sup>67</sup> One category involves

*pathophysiological processes* in which one's personality may influence biological activity that initiates or influences the progression of physical disease, and the second involves mechanisms that link personality to disease through overt behaviors.<sup>68</sup> This study links *both* processes to HCV due to the fact that one's personality may influence biological activity that initiates or influences the progression of physical disease and the manifestation and progression of the disease can also be a result of overt behaviors.

Chinese medicine teaches that the tendencies of personality that correspond to liver disease can be described as domination of power (control), addiction, competitive drive, independence, resistance to change, and preoccupation with work.<sup>69</sup> Characteristics of psyche include such adjectives as arrogant, aggressive, reckless, driven, antagonistic, compulsive, impulsive, and confrontational. This individual has difficulty with intensity, restraint, cooperation, and anger.<sup>70</sup>

As relates to the personality characteristic of *control*, it is significant to note that research conducted at the CNR Institute of Clinical Physiology and University of Pisa, Italy, to evaluate the personality and behavioral responses of a group of liver transplant candidates affirms this characteristic. Cattell's 16 Personality Factor Questionnaire and the PSY Inventory for Behavioral Assessment were administered to 95 men with liver disease and a group of 18 men without liver disease. Transplant patients had a significantly higher mean on *control* than did the individuals in the control group.<sup>71</sup>

A suitable synonym for control is the word, power. According to Chinese medicine, the Liver is "the Organ of the Wood element symbolized by the willow tree: pliant, resilient and powerful...The tough, springy and determined nature of the willow is a good metaphorical image for the nature of the liver. At both the physical and emotional level

the Liver gives us the will-like power and flexibility...The Liver is not the peacemaker; it is rather a power for effective action for which a tough kind of pliancy is vital,"<sup>72</sup> and yet if the liver is compromised, pliancy is not possible.

Beinfeld and Korngold (1991) suitably describe a "Wood" personality, prime for liver disease. They write:

At her best, Sally expresses her true nature: she is bold, decisive, clear, relishing work and performing well under pressure. On the other hand, because she is driven by a tendency to overdo, overperform, and overdirect, what was once a gratifying challenge can turn the corner into an aggravating distress. It is then difficult for her to retreat and recover a hedonic state. Boldness can become aggressive and hostile, decisiveness can become impulsive and unyielding, and clarity can escalate into fanatical adherence. Sally can become a tyrant. When *Wood* is unbridled, it can run wild, inflicting emotional and physical trauma. When Sally's desire to remain even-tempered is confounded, her muscles swell and tighten, and her focus of attention narrows. This restricts her capacity for sustained arousal and appropriate release, making her feel shackled and compressed.

*Exaggerated*, inflated or "bound" *Liver Qi* expresses itself by a propensity toward ...emotional outbursts; nervous, erratic behavior like eating on the run and inconsistent exercise; intolerance, indulgence, obstinance...a compulsion to work, and the need for sedatives to slow down.

*Collapsed*, deflated, or "exhausted" *Liver Qi* is characterized by irritability, indecisiveness, a sensitivity to noise, a loss of judgment and perspective, a need for stimulants, and feeling overwrought, overwhelmed, uptight, and tired. These reactions are linked to the deficiency and stagnation of *Liver Qi* and *Blood*.<sup>73</sup>

It is stated in the *Huang-di Nei-jing* (the source of all Chinese medical theory; the Chinese equivalent of the Hippocratic corpus), "The Liver is the foundation of curtailing extremes...The Liver fosters a relaxed, easygoing internal environment – an even disposition."<sup>74</sup> When the liver is unable to "curtail extremes," an imbalance occurs (and

vice versa). It is insufficient to say that one's behavior has threatened the liver, because the compromised liver exacerbates the behavior, demonstrating that illness represents a cycle of compromised soma, psyche, and personality. Both "extremes" – *exaggerated* behavior and *collapsed* behavior of the individual are categorized by emotional chaos. The extreme individuals are out of control, yet controlling; inordinately composed, yet tempestuous. They are independent, yet enslaved. They are prone to addictive behavior for both stimulants and sedatives. "In periods of deficiency or excess, the Liver is unable to maintain the equanimity of the mind and emotions."<sup>75</sup> They often turn to addictive behavior for escape from the stress of their present reality, as a result of the lack of self-esteem that created it, and/or their lack of ability to cope with it. Many erroneously believe that HCV is a disease specific to substance abusers. It is true, however, that HCV is a disease that can be both created and exacerbated by the at-risk behavior of drug and/or alcohol usage. HCV can enter the bloodstream by injection of an HCV-infected (unsterile) needle, as an example, and research has shown that there is a strong and well-known relationship between alcohol misuse and hepatic cirrhosis.<sup>76</sup>

In Chinese theory, the liver is assigned to distribute the spirit, or Qi. "Through the task of holding and releasing the *Blood*, the *Liver* spreads the Qi."<sup>77</sup> Therefore, not only has the virus compromised the liver, it has compromised the Qi, or spirit, manifesting in the psyche as "agitation, nervous tension, suppressed emotion, and frustration."<sup>78</sup> Again, the cycle: these traits are not only contributory to liver disease but are also a by-product of the disease. According to PNI, "Emotions are at the nexus between matter and mind, going back and forth between the two and influencing both."<sup>79</sup>

## Personality Testing

The personality inventories used in this study measure personality traits commensurate with three specific emotions, attitudes and behaviors, that when "out of control" could be precursors to – and the result of – liver disease according to the precepts of Chinese medicine. They are anger (test selected: *State Trait Anger Expression Inventory – 2<sup>TM</sup>*), anxiety (test selected: *State-Trait Anxiety Inventory, Form Y*), and low self-esteem (test selected: *The Multidimensional Self-Esteem Inventory - MSEI*).

The tests were selected on the basis of their merit, respect, and extensive usage in the field of behavioral psychology; and the fact that they have been used in research specific to medical conditions. All three personality tests are reliable and valid instruments and have significant longevity. The construction of the STAI began in 1964, the MSEI in the early 1970's, and the STAXI-2<sup>TM</sup> has evolved from the early 1980's. Over the course of time, application, and research, all three have been revised numerous times for the sake of improvement in conceptual construct, procedure and outcome. Of significance as well, thousands of individuals were tested in the development, standardization, and validation of each of the tests selected, and each has normative samples.

### ***State Trait Anger Expression Inventory-2<sup>TM</sup>***

The STAXI-2<sup>TM</sup> provides concise measures of the experience and expression of anger. It was developed with two goals in mind. The first was to assess components of anger that could be used for evaluation of normal or abnormal personality, and the second goal is more specific to a particular research orientation, in this case to have a means of measuring contributions of various components of anger toward the development or

exacerbation of medical conditions such as hypertension, coronary problems, and cancer.<sup>80</sup>

### ***The State Trait Anxiety Inventory, Form Y (STAI)***

The STAI was selected for this study as it is acclaimed as the leading measure of personal anxiety worldwide.<sup>81</sup> Over the past decade, the STAI has been used more extensively in psychological research than any other anxiety measure.<sup>82</sup> The STAI has been used increasingly in research of stress-related psychiatric and medical disorders – hypertension and coronary heart disease, asthma, headaches, and “forms of psychosomatic illnesses such as colitis...duodenal ulcers, and infectious mononucleosis.”<sup>83</sup> It evaluates feelings of apprehension, tension, nervousness, and worry, which increase in response to physical danger and psychological stress. More than 2,000 studies have appeared in the research literature since the STAI test manual was published.

### ***Multidimensional Self-Esteem Inventory (MSEI)***

The MSEI is a comprehensive, multidimensional measure of self-esteem. It is a reliable and valid instrument and overcomes the methodological and conceptual difficulties (lack of convergence between theoretical models and measurement instruments) associated with many other measures of self-esteem. The test measures *Global Self-Esteem* (conceptualized as a summary of one’s feelings of worthiness), *Components of Self-Esteem* that include measures of Competence (CMP), Lovability (LVE), Likability (LKE), Personal Power (PWR), Self-Control (SFC), Moral Self-approval (MOR), Body Appearance (BAP), and Body Functioning (BFN). Each of these

is examined in a rather broad sense to insure “that each of the components has important implications for the overall self-esteem of most individuals.”<sup>84</sup> Definitions of the components are found in [Appendix A](#).

These personality measures are discussed in greater detail in [Chapter 3](#), Research Methods.

### Summary

The foregoing has shown that psychoneuroimmunology, a science that champions the mind/body connection, creates a bridge between Western and Eastern medicine. Questions to be resolved are *if*, and, if so, to what degree do individuals contribute to their illnesses; specifically what is unique to the individual with HCV? The precise question to be asked would be: What is the correlate between attitudes, behaviors, and emotions and a virus that presents in the liver? Perhaps the key to the mystery lies with the condition of the immune system as the direct object of individual coping skills the ability or inability to handle the stressors – including negative emotions – of life.

Richard Contrada and Tanya Goyal (2005) in an article entitled "Individual Difference, Health and Illness: The Role of Emotional Traits and Generalized Expectancies," cite research of Cohen and Herbert (1996) in which it is stated, "Immunologic processes are implicated in the development and progression of various infectious disorders from the common cold to HIV/AIDS, and may play a role in the etiology of cancers."<sup>85</sup> Immunologic processes are also involved in autoimmune diseases in which components of a person's immune system attack his or her own body. Thus, there have been significant advances in the identification of neuroendocrine,

cardiovascular, and immunological factors that are plausibly involved in stress-related processes linking personality to physical disease.<sup>86</sup>

Pert's (1997) findings take this explanation one step further: "The immune system was potentially capable of both sending information to the brain via immunopeptides and of receiving information from the brain via neuropeptides (which hooked up with receptors on the immune cell surfaces)."<sup>87</sup> Her work confirmed the existence of a chemical mechanism through which the immune system could communicate not only with the endocrine system but also with the nervous system and the brain.<sup>88</sup> Perhaps, then, one's attitudes, behaviors, emotions – or personality – are capable of seriously impacting the immune system. If so, the immune system, through its messages to specific parts of the body in turn would be responsible for weakening, or threatening, that particular area of the body, akin to the teachings of Chinese medicine that *very specific personality traits are associated with blockages of Qi to the various parts of the body, compromising the particular area or organ.* "Every one of the zones, or systems, of the network – the neural, the hormonal, the gastrointestinal, and the immune – is set up to communicate with one another, via peptides and messenger-specific peptide receptors."<sup>89</sup>

The immune system connection is particularly important and applicable to the study of HCV. "Viruses use the same receptors as neuropeptides to enter into a cell, and depending on how much of the natural peptide for a particular receptor is around and available to bind, the virus that fits that receptor will have an easier or harder time getting into the cell. Because the molecules of emotion are involved in the process of a virus entering the cell, it seems logical to assume that the state of our emotions will affect whether or not we succumb to viral infection."<sup>90</sup> Precepts of Western medicine relative to

HCV indicate that the virus does mutate within the body and uses this mutational process to invade the immune system.

Based on the foregoing data, personality testing of individuals with HCV compared against a control group of individuals without liver disease would theoretically be expected to show that there are predictable personality characteristics associated with a disease of the liver. Consideration has been given to such dynamics as psychological stressors of HCV, itself, and the effects of related treatment protocols, and those factors are addressed in the [Discussion](#) section of this study.

## Chapter 2 Endnotes

---

<sup>1</sup> Daverick Leggett, *Recipes for Self-Healing* (Totnes, Devon: Meridian Press, 1999), 16.

<sup>2</sup> Kiecolt-Glaser, J., L. McGuire, T. Robles, and R. Glaser, "Emotions, Morbidity, and Mortality: New Perspectives from Psychoneuroimmunology," *Annual Reviews Psychology* 53 (2002): 83-107.

<sup>3</sup> [http://en.wikipedia.org/wiki/The\\_four\\_humours](http://en.wikipedia.org/wiki/The_four_humours) (accessed November 3, 2005).

<sup>4</sup> Candace Pert, *Molecules of Emotion: The Science Behind Mind-Body Medicine* (New York: Touchstone, 1997), 190.

<sup>5</sup> S. Cheren, *Psychosomatic Medicine: Theory, Physiology and Practice* (Madison, CN: International Universities Press, 1989), as cited in L. Freeman and G. F. Lawlis, eds., *Mosby's Complementary & Alternative Medicine: A Research-Based Approach* (St. Louis, MO: Mosby, Inc., 2001), 36.

<sup>6</sup> James Gordon, *Manifesto for a New Medicine: Your Guide to Healing Partnerships and the Wise Use of Alternative Therapies*. (Reading, MA: Perseus Books, 1996), 4-5.

<sup>7</sup> Ibid.

<sup>8</sup> Caroline Myss, *Anatomy of the Spirit: The Seven Stages of Power and Healing* (New York: Three Rivers Press, 1996), 6.

<sup>9</sup> Ibid.

<sup>10</sup> Candace Pert, *Molecules of Emotion: The Science Behind Mind-Body Medicine* (New York: Touchstone, 1997), 18.

<sup>11</sup> Ibid.

<sup>12</sup> Arthur Kleinman, *The Illness Narratives: Suffering, Healing & the Human Condition* (Reading, MA: Perseus Books Group, 1988), 58.

<sup>13</sup> Ibid., 11.

<sup>14</sup> James Gordon, *Manifesto for a New Medicine: Your Guide to Healing Partnerships and the Wise Use of Alternative Therapies* (Reading, MA: Perseus Books, 1996), 69.

<sup>15</sup> Marvin Stein, and Andrew Baum, eds. *Chronic Diseases* (Mahwah, NJ: Lawrence Erlbaum Associates, 1995), 229.

<sup>16</sup> C.B. Thomas, "Stamina: The Thread of Human Life," *Journal of Chronic Diseases*, 34 (1981): 41., as cited in Blair Justice, *Who Gets Sick: Thinking and Health* (Houston, TX: Peak Press, 1987), 31.

<sup>17</sup> Arthur Kleinman, *The Illness Narratives: Suffering, Healing & the Human Condition* (Reading, MA: Perseus Books Group, 1988), 59.

<sup>18</sup> H. Weiner, *Psychobiology and Human Disease* (New York: Elsevier-North Holland, 1977), as cited in Blair Justice, *Who Gets Sick: Thinking and Health* (Houston, TX: Peak Press, 1987), 170.

<sup>19</sup> Robert Gish, as cited in Lorren Sandt and Tina St. John, eds. *Hepatitis C: Choices*, 2nd edition (Oregon City, OR: Hepatitis C Caring Ambassadors Program, 2002), x.

- 
- <sup>20</sup> Janice Kiecolt-Glaser, Lynanne McGuire, Theodore Robles, and Ronald Glaser, "Emotions, Morbidity, and Mortality: New Perspectives from Psychoneuroimmunology," <http://www.questia.com> (accessed on June 5, 2005).
- <sup>21</sup> <http://www.answers.com/topic/disease> (accessed on November 3, 2005).
- <sup>22</sup> <http://www.docmisha.com/about/clinic/index/html> (accessed on July 6, 2006).
- <sup>23</sup> Arthur Kleinman, *The Illness Narratives: Suffering, Healing & the Human Condition* (Reading, MA: Perseus Books Group, 1988), 12.
- <sup>24</sup> Ibid.
- <sup>25</sup> Rudolph Ballantine, *Radical Healing: Integrating the World's Great Therapeutic Traditions to Create a New Transformative Medicine* (New York: Three Rivers Press, 1999), 188.
- <sup>26</sup> Ibid., 190-191.
- <sup>27</sup> Candace Pert, *Molecules of Emotion: The Science Behind Mind-Body Medicine* (New York: Touchstone, 1997), 184.
- <sup>28</sup> Ibid.
- <sup>29</sup> Ibid., 24.
- <sup>30</sup> Ibid., 26.
- <sup>31</sup> Ibid., 27.
- <sup>32</sup> Janice Kiecolt-Glaser, Lynanne McGuire, Theodore Robles, and Ronald Glaser, "Emotions, Morbidity, and Mortality: New Perspectives from Psychoneuroimmunology," <http://www.questia.com> (accessed on June 5, 2005).
- <sup>33</sup> Ibid.
- <sup>34</sup> Ibid.
- <sup>35</sup> Stanislav Grof, "East and West: Ancient Wisdom and Modern Science," *The Journal of Transpersonal Psychology* 15, no. 1 (1983): 13-14.
- <sup>36</sup> Ibid.
- <sup>37</sup> Ted Kaptchuk, *The Web That Has No Weaver: Understanding Chinese Medicine* (New York: McGraw Hill, 2000), xiv.
- <sup>38</sup> Ibid., xv.
- <sup>39</sup> Ibid., 3.
- <sup>40</sup> Ibid.
- <sup>41</sup> Ibid., 3-4.
- <sup>42</sup> Ibid., 4.
- <sup>43</sup> Ibid.
- <sup>44</sup> Function of the liver. <http://www.wrongdiagnosis.com/organ/liver.htm> (accessed on November 1, 2005).
- <sup>45</sup> Daverick Leggett, *Recipes for Self-Healing* (Totnes, Devon: Meridian Press, 1999), 41.
- <sup>46</sup> Ibid.
- <sup>47</sup> Ibid., 8.
- <sup>48</sup> Harriet Beinfield and Efrem Korngold, *Between Heaven and Earth: A Guide to Chinese Medicine* (New York: The Random House Publishing Group, 1991), 105.
- <sup>49</sup> Ibid.
- <sup>50</sup> Misha Cohen, *The Chinese Way to Healing: Many Paths to Wholeness* (New York: The Berkeley Publishing Group, 1996), 18.

- 
- <sup>51</sup> Caroline Myss, *Why People Don't Heal and How They Can* (New York: Three Rivers Press, 1997), 55.
- <sup>52</sup> *Ibid.*, 58-59.
- <sup>53</sup> *Ibid.*, 62.
- <sup>54</sup> Robert Gish, M.D., Director of Liver Transplant, California Pacific Medical Center, San Francisco - unpublished data.
- <sup>55</sup> Hepatitis C Information Center at <http://www.hepatitis-central.com> (accessed on June 25, 2005).
- <sup>56</sup> *Ibid.*
- <sup>57</sup> Adrian Di Bisceglie, "Preventive Strategies for Chronic Liver Disease," *American Family Physician*, 2001, <http://www.aafp.org/afp/20011101/editorials.html> (accessed November 17, 2005).
- <sup>58</sup> *Ibid.*
- <sup>59</sup> Carol Ritberger, *What Color is Your Personality?: Red, Orange, Yellow, Green* (Carlsbad, CA: Hay House, 2000), 6.
- <sup>60</sup> *Ibid.*
- <sup>61</sup> *Ibid.*
- <sup>62</sup> *Ibid.*, 8.
- <sup>63</sup> Stress Reduction Tips at [http://wiwi.essortment.com/stressreduction\\_rhef.htm](http://wiwi.essortment.com/stressreduction_rhef.htm) (accessed on 12/13/05.)
- <sup>64</sup> *Ibid.*
- <sup>65</sup> Gerald Gabriel, "Hans Selye: The Discovery of Stress." <http://www.brainconnection.com/topics/main=fa/selye> (accessed 12/13/05).
- <sup>66</sup> Robert Gish, as cited in Lorren Sandt and Tina St. John, eds. *Hepatitis C: Choices*, 2nd edition (Oregon City, OR: Hepatitis C Caring Ambassadors Program, 2002), x.
- <sup>67</sup> Stephen Sutton, Andrew Baum, and Marie Johnston, eds. *The Sage Handbook of Health Psychology* (Thousand Oaks, CA: Sage Publications, 2005), 146.
- <sup>68</sup> *Ibid.*
- <sup>69</sup> Harriet Beinfield and Efreim Korngold, *Between Heaven and Earth: A Guide to Chinese Medicine* (New York: The Random House Publishing Group, 1991), 142.
- <sup>70</sup> *Ibid.*, 173.
- <sup>71</sup> Franco Bonaguidi, Giovanna Trivella, Claudio Michelassi, Franco Filipponi, Franco Mosca, and Antonio L'Abbate, "Personality Change as Defensive Responses of Patients Evaluated for Liver Transplant," *Psychological Reports* 88 (2001): 1211-1221.
- <sup>72</sup> Daverick Leggett, *Recipes for Self-Healing* (Totnes, Devon: Meridian Press, 1999), 60.
- <sup>73</sup> Harriet Beinfield, and Efreim Korngold, *Between Heaven and Earth: A Guide to Chinese Medicine* (New York: The Random House Publishing Group, 1991), 164-165.
- <sup>74</sup> Ted Kaptchuk, *The Web That Has No Weaver: Understanding Chinese Medicine* (New York: McGraw Hill, 2000), 81.
- <sup>75</sup> *Ibid.*

---

<sup>76</sup> George Masterton and Ronan E. O'Carroll, "Psychological Assessment in Liver Disease," *Bailliere's Clinical Gastroenterology* 9, no. 4 (1995): 791.

<sup>77</sup> Harriet Beinfield and Efrem Korngold. *Between Heaven and Earth: A Guide to Chinese Medicine* (New York: The Random House Publishing Group, 1991), 107.

<sup>78</sup> *Ibid.*

<sup>79</sup> Candace Pert, *Molecules of Emotion: The Science Behind Mind-Body Medicine* (New York: Touchstone, 1997), 189.

<sup>80</sup> <http://www.usq.edu.au/users/senior/69301/STAXI.htm>

<sup>81</sup> <https://www3.parinc.com> (accessed 12/15/05).

<sup>82</sup> Charles Spielberger, *State -Trait Anxiety Inventory, Form Y Manual*. (Redwood City, CA: MindGarden Publishing, 1983), 28.

<sup>83</sup> *Ibid.*, 47.

<sup>84</sup> Edward O'Brien and Seymour Epstein, *MSEI, The Multidimensional Self-Esteem Inventory – Professional Manual* (Lutz, Florida: PAR Psychological Assessment Resources, Inc., 1988), 7.

<sup>85</sup> Richard Contrada and Tanya Goyal, "Individual Differences, Health and Illness: The Role of Emotional Traits and Generalized Expectancies," as cited by Stephen Sutton, Andrew Baum, and Marie Johnston, eds. *The Sage Handbook of Health Psychology* (Thousand Oaks, CA: Sage Publications, 2005), 147.

<sup>86</sup> *Ibid.*

<sup>87</sup> Candace Pert, *Molecules of Emotion: The Science Behind Mind-Body Medicine* (New York: Touchstone, 1997), 164.

<sup>88</sup> *Ibid.*

<sup>89</sup> *Ibid.*, 189.

<sup>90</sup> *Ibid.*, 90.

## CHAPTER 3: RESEARCH METHODS

*You have to let the process make the painting.*

➤ Duncan de Kergommeaux

### General Study Design

#### **Overview**

Two groups of individuals, aged 30-70, were given three personality inventories, the *State-Trait Anger Expression Inventory-2™* (STAXI-2™), the *State-Trait Anxiety Inventory* (STAI), and the *Multidimensional Self-Esteem Inventory* (MSEI) to determine if personality measures for anger, anxiety, and self-esteem would reliably discriminate between patients with chronic hepatitis C and those never diagnosed with liver disease. One group of individuals had documented HCV, and the second group, the control group, was comprised of participants who had never been diagnosed with any form of liver disease.

#### **Subjects**

A total of 204 subjects were enrolled in this study, including 104 subjects with chronic HCV and 100 subjects without HCV or other known forms of liver disease. HCV participants came from the medical practices of Robert Gish, M.D. and Director of Liver Transplant, at California Pacific Medical Center (CPMC), Ed Wakil, M.D., Natalie Bzowej, M.D., Maurizio Bonacini, M.D., Todd Frederick, M.D., and Tami Daugherty, M.D. Patients also came from the clinic of Misha Cohen, O.M.D.: Chicken Soup Chinese Medicine (CSCM), and from a convenience sample of individuals with HCV who learned about the study through networking in the medical community. Participants

for the control group came from the CSCM, from relatives of the patients at the liver clinics of CPMC, and from a convenience sample of individuals who learned about the study through networking.

Gender, ethnicity, and socio-economic status were not controlled.

### **Sample Demographics**

The sample of the HCV group included 55 females and 49 males. The mean age was 52.3365, with a standard deviation of 7.36116. The sample of the control group included 68 females and 32 males. The mean age was 49.9000, with a standard deviation of 11.54044.

### **Procedure**

HCV participants were recruited by direct interviews with the researcher at the time of their clinic appointment at California Pacific Medical Center in San Francisco, the outreach clinics of CPMC (Modesto, Chico, and Redding, California), and Chicken Soup Chinese Medicine (CSCM) in San Francisco. Physicians and clinic staff members identified potential participants and introduced them to the researcher. The researcher met with the potential subjects before or after their appointment in a private setting (in an exam room or physician's office). Once the study was explained in detail to the patients, they were given a copy of the informed consent to read (See [Appendix B](#) for the CPMC Consent Form, [Appendix C](#) for CSCM Consent Form, and [Appendix D](#) for the General Consent Form for use with individuals with no medical clinic affiliation). If the potential participant had any questions, the researcher answered them in detail. The researcher "consented" each participant, and this process took from ten minutes to one hour per

participant. Personal interviews between participants and the researcher were deemed extremely important in an effort to gain the participants' trust, particularly given the personal nature of questions asked on the personality inventories. A number of inventory questions inquire about characteristics that could be perceived to translate to signs of weakness or character "flaws" (i.e.: anger, fear, low self-esteem), and to admit to these characteristics could be difficult.

When it was determined that potential participants were willing to take part in this research and met the necessary criteria, they were asked to complete the consent form and a patient questionnaire (See [Appendix E](#)). The questionnaire asked for confirmation that the patient has been diagnosed with HCV, asked how they believe they contracted the disease, when they were diagnosed, if they are undergoing medical treatment for HCV, and if so, the treatment being administered. Their responses were confirmed by their hepatologist and/or by chart review. (At the CPMC facilities, only the researcher, the physicians, and the research assistant had access to these documents, and they were kept separate from the surveys.) The researcher retained one copy of the consent form and questionnaire, and a copy of each was put in the medical file of the participant/patient. At CSCM, the originals of these two forms were maintained by the research assistant in a safely locked file in a private office. The researcher was given a copy of the forms at the conclusion of the study.

Participants were then given the testing instruments (See [Appendix F](#), [Appendix G](#), and [Appendix H](#)), score sheets to complete, and a self-addressed, stamped envelope in which to return the completed test materials. They were also given a brief write-up of the research so that they could read more on the topic of HCV and the purpose of the study

(See [Appendix I](#)). The participants were given a unique I.D. number and were instructed to refrain from putting their name on the answer/score sheets. The score sheets for the personality inventories had the preprinted, unique identifying number in place of a name; and had a space for age, gender, marital status, and educational level. Personality inventories could either be completed while at the respective clinic, or the participant could take them home to complete and return in the self-addressed, postage paid envelope provided. Participants were told that they were free to stop taking the test in the event that any of the questions made them uncomfortable.

Confidentiality was stressed due to the nature of the questions on the inventories, i.e.: measures of self-esteem and anger/anxiety-related queries, which if answered defensively, could confound the results. In view of the perceived and potential sensitivity of subjects, the researcher assured participants that their responses were not being judged. Confidentiality was also important due to privacy regulations of California Pacific Medical Center (See [Appendix J](#)).

The sample of convenience was handled in the same way, but rather than at clinic appointments, participants were recruited by persons who had heard about the study. These individuals contacted the researcher directly and were given details of the study, consent forms and test materials.

Fliers describing the research study were hung on the walls in the reception areas of the various clinics (See [Appendix K](#)).

Control group participants were also recruited at the time of medical appointments at the clinics of California Pacific Medical Center and at Chicken Soup Chinese Medicine in San Francisco. Potential subjects were identified by clinic staff members and were

introduced to the researcher. The researcher met with the potential subjects before or after their appointment in a private setting (in an exam room or physician's office). Once the study was explained in detail, they were given a copy of the informed consent to read (See [Appendix B](#) for the CPMC Consent Form, [Appendix C](#) for the CSCM Consent Form, and [Appendix D](#) for the General Consent Form designed for individuals with no medical clinic affiliation). If the potential participant had questions, the researcher answered them in detail. The researcher "consented" each participant, and this process took from ten minutes to one hour per participant. Personal interviews between participants and the researcher were deemed extremely important in an effort to gain the participants' trust, particularly given the personal nature of questions asked on the personality inventories. A number of inventory questions inquire about characteristics that could be perceived to translate to signs of weakness or character "flaws" (i.e.: anger, fear, low self-esteem), and to admit to these characteristics could be difficult.

When it was determined that potential participants were willing to take part in this research and met the necessary criteria, they were asked to complete the consent form and a patient questionnaire (See [Appendix L](#)). By completing the questionnaire they confirmed that they did not have HCV or any other form of liver disease. (At the CPMC facilities, only the researcher, the physicians, and the research assistant had access to these documents, and they were kept separate from the surveys.) The researcher retained one copy of the consent form and questionnaire, and a copy of each was put in the medical file of the participant/patient. At CSCM the originals of these two forms were maintained by the research assistant in a safely locked file in a private office. The researcher was given a copy of the forms at the conclusion of the study.

Participants were then given the testing instruments (See [Appendix F](#), [Appendix G](#), and [Appendix H](#)), score sheets to complete and a self-addressed, stamped envelope in which to return the completed test materials. They were also given a brief write-up of the research so that they could read more on the topic of HCV and the purpose of the study (See [Appendix I](#)). The participants were given a unique I.D. number and were instructed to refrain from putting their name on the answer/score sheets. The score sheets for the personality inventories had a preprinted, unique identifying number in place of a name; and had a space for age, gender, marital status, and educational level. Personality inventories could either be completed while at the respective clinic, or the participants could take them home to complete and return in the self-addressed, postage paid envelope provided. Participants were told that they were free to stop taking the test in the event that any of the questions made them uncomfortable.

Confidentiality was stressed due to the nature of the questions on the inventories, i.e.: measures of self-esteem and anger/anxiety-related queries, which if answered defensively, could confound the results. In view of the perceived and potential sensitivity of subjects, the researcher assured participants that their responses were not being judged. Confidentiality was also important due to patient privacy regulations of the medical clinics involved (See [Appendix J](#)).

The sample of convenience was handled in the same way, but rather than at clinic appointments, individuals were recruited by persons who had heard about the study. These individuals contacted the researcher directly and were given details of the study, consent forms and test materials.

Fliers describing the research study were hung on the walls in the reception areas of the various clinics (See [Appendix K](#)).

## **Materials**

To reiterate statements made in the previous chapter relative to testing instruments chosen for this study, the personality inventories – the *State-Trait Anger Expression Inventory*<sup>TM</sup> (STAXI-2<sup>TM</sup>), the *State-Trait Anxiety Inventory* (STAI), and the *Multidimensional Self-Esteem Inventory* (MSEI) – were selected on the basis of their merit, respect, and wide usage in the field of behavioral psychology; and the fact that they have been used in research specific to medical conditions. All three personality tests are reliable and valid instruments and have significant longevity, and over the course of time, application, and research, all three have been revised numerous times for the sake of improvement in conceptual construct, procedure and outcome. Thousands of individuals were tested in the development, standardization and validation of each of the tests selected, and each of the tests has normative samples.

- *State Trait Anger Expression Inventory-2<sup>TM</sup>*

The STAXI-2<sup>TM</sup> consists of 57 items, and completion time is generally 10 to 15 minutes. As described in [Chapter 2](#), Literature Review, The STAXI-2<sup>TM</sup> has been used extensively in research in behavioral medicine and health psychology.<sup>1</sup> It was the test of choice with which to measure anger and its effects on one's health, for it was developed expressly for those two reasons: to assess components of anger for detailed evaluations of normal and abnormal personality and to provide a means with which to measure the contributions of various components of anger to the development of medical conditions, particularly hypertension, coronary heart disease, and cancer.<sup>2</sup>

Charles Spielberger, the author of the STAXI-2™ distinguishes between "state anger" and "trait anger." "State anger is defined as a psychobiological emotional state or condition marked by subjective feelings that vary in intensity from mild irritation or annoyance to intense fury and rage...Trait anger is defined in terms of individual differences in the disposition to perceive a wide range of situations as annoying or frustrating and by the tendency to respond to such situations with elevations in state anger."<sup>3</sup> In order to determine the role that anger plays in medical conditions, the expression of anger must be distinguished from the experience of anger as an emotion, as well as from individual differences in anger-proneness as a personality trait.<sup>4</sup>

The STAXI-2™ measures the expression and the control of anger in four ways: Anger Expression-Out, Anger Expression-In, Anger Control-Out, and Anger Control-In. Anger Expression-Out and Anger Control-Out are based on the expression of anger, or control of anger, toward other persons and situations/objects in the environment, and Anger Expression-In and Anger Control-In are related to anger directed inward and the suppression of anger by cooling off or calming down. "In research on the etiology of medical disorders, the expression and control of anger emerged as important variables to be distinguished from the experience of angry feelings."<sup>5</sup> This will be discussed in further detail in [Chapter 5](#).

The STAXI-2™ consists of six scales, five subscales and an Anger Expression Index (an overall measure of the expression and control of anger). It is divided into three parts: "How I Feel Right Now," How I Generally Feel," and "How I Generally React When Angry or Furious." In the development of the STAXI-2™ scales, Spielberger was cognizant of the issue of distinguishing between the absence of anger and the suppression

of anger. This was resolved by measuring the intensity of the experience of anger as an emotional state at a particular time and by measuring individual differences in anger proneness as a personality trait.

Alpha coefficient measures of internal consistency were uniformly high on all scales and subscales (median  $r = .88$ ) with the exception of one subscale for "normal adults:" T-Ang/R, which was  $.76$  for normal females and  $.73$  for normal males.<sup>6</sup> T-Ang/R is a subscale of Trait Anger and is termed "Angry Reaction." The internal consistency reliabilities of the scales and subscales are satisfactory and are not influenced by gender or psychopathology.<sup>7</sup>

- *The State Trait Anxiety Inventory*, Form Y (STAI)

The STAI consists of 20 items that measure situational, or state anxiety, and 20 items that measure underlying, or trait anxiety. The inventory can be completed in approximately 10 minutes.

This test was selected for this study because of its extensive use in research over the last 40+ years and is acclaimed as the leading measure of personal anxiety worldwide.<sup>8</sup> The STAI has been labeled by some, "the definitive instrument for measuring anxiety in adults." Again to reiterate information from the previous chapter, over the past decade, the STAI has been used more extensively in psychological research than any other anxiety measure.<sup>9</sup> The STAI has been used increasingly in research of stress-related psychiatric and medical disorders – hypertension and coronary heart disease, asthma, headaches, and "forms of psychosomatic illnesses such as colitis...duodenal ulcers, and infectious mononucleosis."<sup>10</sup>

The STAI utilizes the same state and trait concepts as the STAXI-2™. “An emotional state exists at a given moment in time and at a particular level of intensity. Anxiety *states* are characterized by subjective *feelings* of tension, apprehension, nervousness, and worry, and by activation or arousal of the autonomic nervous system.”<sup>11</sup> “*Trait* anxiety refers to relatively stable individual differences in anxiety proneness, that is, to differences between people in the tendency to perceive stressful situations as dangerous or threatening and to *respond* to such situations with elevations in the intensity of their state anxiety (S-Anxiety) *reactions*” (italics added for emphasis).<sup>12</sup>

Alpha coefficient measures of internal consistency for S-Anxiety scales were high, with a median coefficient of .93. The alpha coefficients for the T-Anxiety scale were also high, with a median coefficient of .90. With respect to the correlations between the S-Anxiety and the T-Anxiety scales for the normative samples, it was seen that, in general, “Trait-State Anxiety Theory predicts higher correlations between S-Anxiety and T-Anxiety in social evaluative situations and lower correlations in physical-danger situations.”<sup>13</sup> That is to say, “Correlations between the S-Anxiety and T-Anxiety scales are typically higher under conditions that pose some threat to self-esteem, or under circumstances in which personal adequacy is evaluated; and correlations are lower in situations characterized by physical danger.”<sup>14</sup>

- *Multidimensional Self-Esteem Inventory (MSEI)*

The MSEI consists of 116 items and can generally be completed in 20-30 minutes. This inventory was developed to provide a multidimensional measure of self-esteem. The test measures *Global Self-Esteem* (conceptualized as a summary of one's feelings of worthiness), *Components of Self-Esteem* that include measures of Competence, Lovability, Likeability, Personal Power, Self-Control, Moral Self-approval, Body Appearance, and Body Functioning. Each of these is examined in a rather broad sense to insure "that each of the components has important implications for the overall self-esteem of most individuals."<sup>15</sup> It is worthy of note that the selection and incorporation of these eight components into the MSEI were the result of extensive research, and the "data suggest that the 8 components of self-esteem measured by the MSEI are representative of the types of experiences that influence self-esteem in everyday life."<sup>16</sup>

Also measured by the MSEI is *Identity Integration*, one of the basic functions of self-evaluation. "This function concerns the organization of self-experience and the efficiency with which these experiences can be integrated into the self-concept."<sup>17</sup> The last measure of the MSEI is *Defensive Self-Enhancement*, and according to its authors, O'Brien and Epstein, all measures of self-esteem must deal with the issue of defensiveness since some individuals tend to bolster their worth, inflating their scores above their true level of self-esteem. Defensiveness can be manifested in such forms as compensation, projection, and denial.

With respect to internal consistency and reliability of the MSEI, alpha coefficients for all scales except *Defensive Self-Enhancement* were at least .80, and several scales

yielded reliabilities that were – or approached – .90. The reliability coefficient for *Defensive Self-Enhancement* was .78.

### **Methods of Data Analysis:**

Upon completion, all score sheets were delivered to the researcher, either by mail or in person. The three questionnaires for each study subject were scored as prescribed in their respective manuals. Raw scores and T-scores were calculated, checked for accuracy, and entered onto an SPSS spreadsheet by the researcher. Lastly, the spreadsheets were sent to Paul Thomlinson, Ph.D. and statistician, who carried out statistical analyses of the results.

Forced entry and stepwise methods of discriminant function analysis were conducted on the scores from the three questionnaires to test whether the combined scores could reliably discriminate between HCV patients and controls. Analyses were carried out using SPSS software.

## Chapter 3 Endnotes

---

<sup>1</sup> Charles Spielberger. *STAXI-2™ State-Trait Anger Expression Inventory-2™ Professional Manual* (Lutz, Florida: PAR Psychological Assessment Resources, Inc., 1999), 35.

<sup>2</sup> *Ibid.*, 1.

<sup>3</sup> *Ibid.*

<sup>4</sup> *Ibid.*, 20.

<sup>5</sup> *Ibid.*, 19.

<sup>6</sup> *Ibid.*, 9.

<sup>7</sup> *Ibid.*

<sup>8</sup> <https://www3.parinc.com> (accessed 12/15/05).

<sup>9</sup> Buros (1978) cited by Charles Spielberger, *State -Trait Anxiety Inventory, Form Y Manual*. (Redwood City, CA: MindGarden Publishing, 1983), 28.

<sup>10</sup> Charles Spielberger, *State -Trait Anxiety Inventory, Form Y Manual*. (Redwood City, CA: MindGarden Publishing, 1983), 47.

<sup>11</sup> *Ibid.*, 4.

<sup>12</sup> *Ibid.*, 5.

<sup>13</sup> *Ibid.*, 33.

<sup>14</sup> *Ibid.*, 34.

<sup>15</sup> Edward O'Brien and Seymour Epstein, *MSEI, The Multidimensional Self-Esteem Inventory – Professional Manual* (Lutz, Florida: PAR Psychological Assessment Resources, Inc., 1988), 7.

<sup>16</sup> *Ibid.*

<sup>17</sup> *Ibid.*

## CHAPTER 4: RESULTS

*However beautiful the strategy, you should occasionally look at the results.*

➤ Winston Churchill

This chapter presents the statistical findings of the study, including descriptive and inferential analyses. The latter includes two methods of discriminant analyses – forced entry and stepwise procedures.

In reading the following tables and figures it will be helpful to have the following guide to abbreviations. Definitions of each variable will be discussed in detail.


| <u>Abbreviation</u> | <u>Meaning</u>             |
|---------------------|----------------------------|
| S Ang               | State Anger                |
| T Ang               | Trait Anger                |
| AX Ind              | Anger Expression Index     |
| S Anx               | State Anxiety              |
| T Anx               | Trait Anxiety              |
| GSE                 | Global Self-Esteem         |
| SFC                 | Self-Control               |
| IDN                 | Identity Integration       |
| DEF                 | Defensive Self Enhancement |
| CMP                 | Competence                 |
| LVE                 | Lovability                 |
| PWR                 | Personal Power             |
| MOR                 | Moral Self-Approval        |
| BAP                 | Body Appearance            |
| BFN                 | Body Functioning           |

Table 1 details descriptive statistics for all predictor variables, collapsing across both HCV and control groups:


**Table 1. Descriptive Statistics for HCV and Control Groups.**

| Descriptive Statistics |     |         |         |         |                |
|------------------------|-----|---------|---------|---------|----------------|
|                        | N   | Minimum | Maximum | Mean    | Std. Deviation |
| Age                    | 204 | 30.00   | 70.00   | 51.1422 | 9.69203        |
| State Anger            | 204 | 44.00   | 80.00   | 48.1765 | 8.94913        |
| Trait Anger            | 204 | 34.00   | 80.00   | 47.0882 | 9.89860        |
| Anger Expression Index | 204 | 26.00   | 80.00   | 48.6961 | 10.38594       |
| State Anxiety          | 204 | 34.00   | 101.00  | 50.8824 | 13.59498       |
| Trait Anxiety          | 204 | 34.00   | 91.00   | 53.6225 | 13.34830       |
| Global Self Esteem     | 204 | 20.00   | 80.00   | 54.4216 | 11.69896       |
| Self Control           | 204 | 20.00   | 80.00   | 54.6569 | 12.18171       |
| Identity Integration   | 204 | 28.00   | 80.00   | 56.2500 | 11.06769       |
| Defensive              | 204 | 30.00   | 80.00   | 57.5931 | 10.78843       |
| Self-Enhancement       | 204 | 20.00   | 80.00   | 54.6520 | 11.49347       |
| Competence             | 204 | 26.00   | 80.00   | 51.9951 | 11.56328       |
| Lovability             | 204 | 23.00   | 80.00   | 54.8922 | 10.62797       |
| Personal Power         | 204 | 28.00   | 80.00   | 59.2500 | 11.99841       |
| Moral Self-approval    | 204 | 20.00   | 73.00   | 51.7010 | 10.03854       |
| Body Appearance        | 204 | 20.00   | 79.00   | 47.0196 | 12.23254       |
| Body Functioning       | 204 |         |         |         |                |
| Valid N (listwise)     | 204 |         |         |         |                |

Figures 1 and 2, next page, illustrate the mix of study participants with respect to gender and level of education.



**Figure 1. Percentage of Study Participants by Gender.**



**Figure 2. Educational Mix of Study Participants.**

Tables 2 and 3 provide descriptive statistics (means and standard deviations) for the HCV and control groups individually:

**Table 2. HCV Group Descriptive Statistics.**

**Descriptive Statistics by Group**

Group: HCV

|                            | N   | Mean    | Std. Deviation |
|----------------------------|-----|---------|----------------|
| Age                        | 104 | 52.3365 | 7.36116        |
| State Anger                | 104 | 50.8654 | 11.02077       |
| Trait Anger                | 104 | 49.2885 | 10.52383       |
| Anger Expression Index     | 104 | 52.1346 | 10.25600       |
| State Anxiety              | 104 | 57.0865 | 14.93618       |
| Trait Anxiety              | 104 | 59.8173 | 13.98596       |
| Global Self Esteem         | 104 | 49.7212 | 11.33725       |
| Self Control               | 104 | 51.4038 | 12.51292       |
| Identity Integration       | 104 | 51.6731 | 9.76863        |
| Defensive Self-Enhancement | 104 | 56.9327 | 10.81016       |
| Competence                 | 104 | 50.7596 | 11.06775       |
| Lovability                 | 104 | 49.4808 | 11.74154       |
| Personal Power             | 104 | 51.6250 | 9.90556        |
| Moral Self-approval        | 104 | 55.9808 | 13.34747       |
| Body Appearance            | 104 | 48.1827 | 10.49712       |
| Body Functioning           | 104 | 40.9423 | 11.04521       |

**Table 3. Control Group Descriptive Statistics.**

**Descriptive Statistics by Group**

Group: Control

|                            | N   | Mean    | Std. Deviation |
|----------------------------|-----|---------|----------------|
| Age                        | 100 | 49.9000 | 11.54044       |
| State Anger                | 100 | 45.3800 | 4.72855        |
| Trait Anger                | 100 | 44.8000 | 8.67831        |
| Anger Expression Index     | 100 | 45.1200 | 9.29568        |
| State Anxiety              | 100 | 44.4300 | 8.02428        |
| Trait Anxiety              | 100 | 47.1800 | 8.92209        |
| Global Self Esteem         | 100 | 59.3100 | 9.97846        |
| Self Control               | 100 | 58.0400 | 10.89520       |
| Identity Integration       | 100 | 61.0100 | 10.34408       |
| Defensive Self-Enhancement | 100 | 58.2800 | 10.77697       |
| Competence                 | 100 | 58.7000 | 10.53374       |
| Lovability                 | 100 | 54.6100 | 10.82542       |
| Personal Power             | 100 | 58.2900 | 10.32727       |
| Moral Self-approval        | 100 | 62.6500 | 9.32399        |
| Body Appearance            | 100 | 55.3600 | 8.09105        |
| Body Functioning           | 100 | 53.3400 | 10.03753       |

**Forced Entry Discriminant Analysis Results**

This method of variable selection allows the researcher to enter all predictor variables of interest at a single time, and then determine whether the linear combination of these variables allows for accurate classification into groups. As such, all personality variables measured in this study were entered at once using this method. The results indicate that the combination of all variables does allow classification into HCV and control groups at well beyond chance levels (Wilks' lambda = .608, Chi-square = 96.81,  $p < .001$ ). All variables, in linear combination, allowed for nearly 80% accuracy in classifying cases, as shown in the following classification table:


**Table 4. Forced Entry Classification Results.**

**Classification Results<sup>a</sup>**

|          |       |         | Predicted Group Membership |         | Total |
|----------|-------|---------|----------------------------|---------|-------|
|          |       |         | HCV                        | Control |       |
| Original | Count | HCV     | 81                         | 23      | 104   |
|          |       | Control | 19                         | 81      | 100   |
|          | %     | HCV     | 77.9                       | 22.1    | 100.0 |
|          |       | Control | 19.0                       | 81.0    | 100.0 |

a. 79.4% of original grouped cases correctly classified.

As can be seen, using all variables, 79.4% of originally grouped cases are correctly classified. A comparison can be seen using the variables named in the hypothesis of this research – anger, anxiety, and self-esteem. That comparison between the HCV group and the control group is shown in Figure 3.



**Figure 3. Group Comparison - Anger, Anxiety, and Self-Esteem.**

**Stepwise Discriminant Analysis Results**

While the forced entry method of discriminant analysis described above allows for a good overall test of the discriminative power of the set of personality variables, it does

not provide an optimal way of identifying the variables that are most predictive of group membership (i.e., HCV or control). Therefore, the stepwise method of variable entry was employed in order to identify the smallest number of variables allowing for maximal discrimination between groups. Table 5, next page, demonstrates group statistics for HCV, Control, and Total.

**Table 5. Group Statistics - HCV, Control, and Total.**

|         |                            | Group Statistics |                |                    |          |
|---------|----------------------------|------------------|----------------|--------------------|----------|
| Group   |                            | Mean             | Std. Deviation | Valid N (listwise) |          |
|         |                            |                  |                | Unweighted         | Weighted |
| HCV     | State Anger                | 50.8654          | 11.02077       | 104                | 104.000  |
|         | Trait Anger                | 49.2885          | 10.52383       | 104                | 104.000  |
|         | Anger Expression Index     | 52.1346          | 10.25600       | 104                | 104.000  |
|         | State Anxiety              | 57.0865          | 14.93618       | 104                | 104.000  |
|         | Trait Anxiety              | 59.8173          | 13.98596       | 104                | 104.000  |
|         | Global Self Esteem         | 49.7212          | 11.33725       | 104                | 104.000  |
|         | Self Control               | 51.4038          | 12.51292       | 104                | 104.000  |
|         | Identity Integration       | 51.6731          | 9.76863        | 104                | 104.000  |
|         | Defensive Self-Enhancement | 56.9327          | 10.81016       | 104                | 104.000  |
|         | Competence                 | 50.7596          | 11.06775       | 104                | 104.000  |
|         | Lovability                 | 49.4808          | 11.74154       | 104                | 104.000  |
|         | Personal Power             | 51.6250          | 9.90556        | 104                | 104.000  |
|         | Moral Self-approval        | 55.9808          | 13.34747       | 104                | 104.000  |
|         | Body Appearance            | 48.1827          | 10.49712       | 104                | 104.000  |
|         | Body Functioning           | 40.9423          | 11.04521       | 104                | 104.000  |
| Control | State Anger                | 45.3800          | 4.72855        | 100                | 100.000  |
|         | Trait Anger                | 44.8000          | 8.67831        | 100                | 100.000  |
|         | Anger Expression Index     | 45.1200          | 9.29568        | 100                | 100.000  |
|         | State Anxiety              | 44.4300          | 8.02428        | 100                | 100.000  |
|         | Trait Anxiety              | 47.1800          | 8.92209        | 100                | 100.000  |
|         | Global Self Esteem         | 59.3100          | 9.97846        | 100                | 100.000  |
|         | Self Control               | 58.0400          | 10.89520       | 100                | 100.000  |
|         | Identity Integration       | 61.0100          | 10.34408       | 100                | 100.000  |
|         | Defensive Self-Enhancement | 58.2800          | 10.77697       | 100                | 100.000  |
|         | Competence                 | 58.7000          | 10.53374       | 100                | 100.000  |
|         | Lovability                 | 54.6100          | 10.82542       | 100                | 100.000  |
|         | Personal Power             | 58.2900          | 10.32727       | 100                | 100.000  |
|         | Moral Self-approval        | 62.6500          | 9.32399        | 100                | 100.000  |
|         | Body Appearance            | 55.3600          | 8.09105        | 100                | 100.000  |
|         | Body Functioning           | 53.3400          | 10.03753       | 100                | 100.000  |
| Total   | State Anger                | 48.1765          | 8.94913        | 204                | 204.000  |
|         | Trait Anger                | 47.0882          | 9.89860        | 204                | 204.000  |
|         | Anger Expression Index     | 48.6961          | 10.38594       | 204                | 204.000  |
|         | State Anxiety              | 50.8824          | 13.59498       | 204                | 204.000  |
|         | Trait Anxiety              | 53.6225          | 13.34830       | 204                | 204.000  |
|         | Global Self Esteem         | 54.4216          | 11.69896       | 204                | 204.000  |
|         | Self Control               | 54.6569          | 12.18171       | 204                | 204.000  |
|         | Identity Integration       | 56.2500          | 11.06769       | 204                | 204.000  |
|         | Defensive Self-Enhancement | 57.5931          | 10.78843       | 204                | 204.000  |
|         | Competence                 | 54.6520          | 11.49347       | 204                | 204.000  |
|         | Lovability                 | 51.9951          | 11.56328       | 204                | 204.000  |
|         | Personal Power             | 54.8922          | 10.62797       | 204                | 204.000  |
|         | Moral Self-approval        | 59.2500          | 11.99841       | 204                | 204.000  |
|         | Body Appearance            | 51.7010          | 10.03854       | 204                | 204.000  |
|         | Body Functioning           | 47.0196          | 12.23254       | 204                | 204.000  |

The stepwise procedure revealed the following (See Table 6) with respect to equality of group means:

**Table 6. Tests of Equality of Group Means as Revealed by Stepwise Procedure.**

| <b>Tests of Equality of Group Means</b> |               |        |     |     |      |
|---|---------------|--------|-----|-----|------|
|   | Wilks' Lambda | F      | df1 | df2 | Sig. |
| State Anger                             | .906          | 21.045 | 1   | 202 | .000 |
| Trait Anger                             | .948          | 10.998 | 1   | 202 | .001 |
| Anger Expression Index                  | .885          | 26.134 | 1   | 202 | .000 |
| State Anxiety                           | .782          | 56.200 | 1   | 202 | .000 |
| Trait Anxiety                           | .775          | 58.677 | 1   | 202 | .000 |
| Global Self Esteem                      | .831          | 40.996 | 1   | 202 | .000 |
| Self Control                            | .925          | 16.267 | 1   | 202 | .000 |
| Identity Integration                    | .821          | 43.961 | 1   | 202 | .000 |
| Defensive Self-Enhancement              | .996          | .794   | 1   | 202 | .374 |
| Competence                              | .880          | 27.510 | 1   | 202 | .000 |
| Lovability                              | .951          | 10.500 | 1   | 202 | .001 |
| Personal Power                          | .901          | 22.137 | 1   | 202 | .000 |
| Moral Self-approval                     | .922          | 16.992 | 1   | 202 | .000 |
| Body Appearance                         | .872          | 29.752 | 1   | 202 | .000 |
| Body Functioning                        | .742          | 70.223 | 1   | 202 | .000 |

These results reveal that all personality variables measured were non-equivalent (or significantly different at  $p < .001$ ) for the HCV and control groups, except for Defensive Self-Enhancement ( $p = .374$ ). However, the purpose of stepwise analysis is to identify the smallest number of variables that provide maximum discrimination between groups, controlling for the variance explained in previous steps. These results produced a four variable model that classified cases nearly as accurately as the forced entry method above (with all variables in the model). See Table 7.

**Table 7. Four Variable Model with Variables Entered/Removed.**

**Variables Entered/Removed<sup>a,b,c,d</sup>**

| Step | Entered                    | Wilks' Lambda |     |     |         |           |     |         |      |
|------|----------------------------|---------------|-----|-----|---------|-----------|-----|---------|------|
|      |                            | Statistic     | df1 | df2 | df3     | Exact F   |     |         |      |
|      |                            |               |     |     |         | Statistic | df1 | df2     | Sig. |
| 1    | Body Functioning           | .742          | 1   | 1   | 202.000 | 70.223    | 1   | 202.000 | .000 |
| 2    | State Anxiety              | .684          | 2   | 1   | 202.000 | 46.399    | 2   | 201.000 | .000 |
| 3    | Defensive Self-Enhancement | .670          | 3   | 1   | 202.000 | 32.836    | 3   | 200.000 | .000 |
| 4    | Anger Expression Index     | .649          | 4   | 1   | 202.000 | 26.883    | 4   | 199.000 | .000 |

At each step, the variable that minimizes the overall Wilks' Lambda is entered.

- a. Maximum number of steps is 30.
- b. Minimum partial F to enter is 3.84.
- c. Maximum partial F to remove is 2.71.
- d. F level, tolerance, or VIN insufficient for further computation.

**Table 8. Variables in the Analysis - Four Variable Model.**

**Variables in the Analysis**

| Step |                            | Tolerance | F to Remove | Wilks' Lambda |
|------|----------------------------|-----------|-------------|---------------|
| 1    | Body Functioning           | 1.000     | 70.223      |               |
| 2    | Body Functioning           | .870      | 28.850      | .782          |
|      | State Anxiety              | .870      | 17.009      | .742          |
| 3    | Body Functioning           | .842      | 31.890      | .777          |
|      | State Anxiety              | .829      | 19.935      | .737          |
|      | Defensive Self-Enhancement | .885      | 4.223       | .684          |
| 4    | Body Functioning           | .837      | 28.084      | .741          |
|      | State Anxiety              | .786      | 13.114      | .692          |
|      | Defensive Self-Enhancement | .723      | 8.577       | .677          |
|      | Anger Expression Index     | .697      | 6.377       | .670          |

The Wilks' lambda results for this four variable model shows that it is statistically significant, as depicted by Table 9:

**Table 9. Wilks Lambda Results - Four Variable Model.**

**Wilks' Lambda**

| Test of Function(s) | Wilks' Lambda | Chi-square | df | Sig. |
|---------------------|---------------|------------|----|------|
| 1                   | .649          | 86.404     | 4  | .000 |

Finally, this model demonstrated 77% accuracy in classifying cases into HCV and control groups, as shown in Table 10.


**Table 10. Classification Results - HCV and Control Groups.**

**Classification Results<sup>a</sup>**

|          |       | Group   | Predicted Group Membership |         | Total |
|----------|-------|---------|----------------------------|---------|-------|
|          |       |         | HCV                        | Control |       |
| Original | Count | HCV     | 77                         | 27      | 104   |
|          |       | Control | 20                         | 80      | 100   |
|          | %     | HCV     | 74.0                       | 26.0    | 100.0 |
|          |       | Control | 20.0                       | 80.0    | 100.0 |

a. 77.0% of original grouped cases correctly classified.

Figure 4 shows the Four Variable Model by mean scores of participants by groups.



**Figure 4. Four Variable Model - A Comparison by Groups.**

The control group had significantly higher mean scores for Body Functioning than did the HCV group; and the HCV group had significantly higher mean scores for State Anxiety and Anger Expression. Mean scores for Defensive Self Enhancement were 58.29 and 56.9327 for the control and HCV groups respectively. (Although in a univariate analysis there is no significant difference between the groups on this variable, Defensive Self Enhancement does add to the predictive ability of the model after extracting or accounting for the variance associated with the other variables in the model as an incremental explanation of variance.)

### **Ancillary Results**

Participants were recruited from Western medical sites as well as from a Chinese medicine clinic. Out of mere curiosity, the researcher broke down the results by variable by treatment *site* to determine if there was a difference in personality results between

those patients in the HCV group who were being treated at a Chinese medicine clinic compared to those HCV patients who were being treated at a Western medical clinic. This is a site analysis only; consideration should be given to the fact that some participants treated at each of the locations utilize both Western and Eastern treatment modalities. Table 11 shows those results.

**Table 11. Variables by Clinic - HCV Group.**

**Group Statistics**

|                            | Site               | N  | Mean    | Std. Deviation | Std. Error Mean |
|----------------------------|--------------------|----|---------|----------------|-----------------|
| State Anger                | Western Med Clinic | 71 | 51.7465 | 11.47882       | 1.36229         |
|                            | Chinese Med Clinic | 33 | 48.9697 | 9.86308        | 1.71694         |
| Trait Anger                | Western Med Clinic | 71 | 49.9437 | 10.67960       | 1.26744         |
|                            | Chinese Med Clinic | 33 | 47.8788 | 10.19730       | 1.77512         |
| Anger Expression Index     | Western Med Clinic | 71 | 52.1972 | 9.93783        | 1.17940         |
|                            | Chinese Med Clinic | 33 | 52.0000 | 11.06797       | 1.92669         |
| State Anxiety              | Western Med Clinic | 71 | 58.0563 | 15.58835       | 1.85000         |
|                            | Chinese Med Clinic | 33 | 55.0000 | 13.41408       | 2.33509         |
| Trait Anxiety              | Western Med Clinic | 71 | 60.5493 | 14.58060       | 1.73040         |
|                            | Chinese Med Clinic | 33 | 58.2424 | 12.68126       | 2.20752         |
| Global Self Esteem         | Western Med Clinic | 71 | 49.6056 | 11.53563       | 1.36903         |
|                            | Chinese Med Clinic | 33 | 49.9697 | 11.06934       | 1.92692         |
| Self Control               | Western Med Clinic | 71 | 52.8873 | 12.99950       | 1.54276         |
|                            | Chinese Med Clinic | 33 | 48.2121 | 10.90515       | 1.89834         |
| Identity Integration       | Western Med Clinic | 71 | 51.1268 | 9.69968        | 1.15114         |
|                            | Chinese Med Clinic | 33 | 52.8485 | 9.96281        | 1.73430         |
| Defensive Self-Enhancement | Western Med Clinic | 71 | 58.9155 | 10.09066       | 1.19754         |
|                            | Chinese Med Clinic | 33 | 52.6667 | 11.22126       | 1.95337         |
| Competence                 | Western Med Clinic | 71 | 49.5634 | 10.77130       | 1.27832         |
|                            | Chinese Med Clinic | 33 | 53.3333 | 11.42275       | 1.98845         |
| Lovability                 | Western Med Clinic | 71 | 50.6761 | 12.36790       | 1.46780         |
|                            | Chinese Med Clinic | 33 | 46.9091 | 9.95730        | 1.73334         |
| Personal Power             | Western Med Clinic | 71 | 50.6338 | 9.81724        | 1.16509         |
|                            | Chinese Med Clinic | 33 | 53.7576 | 9.90590        | 1.72440         |
| Moral Self-approval        | Western Med Clinic | 71 | 55.1268 | 13.95803       | 1.65651         |
|                            | Chinese Med Clinic | 33 | 57.8182 | 11.92281       | 2.07549         |
| Body Appearance            | Western Med Clinic | 71 | 47.7887 | 10.36328       | 1.22990         |
|                            | Chinese Med Clinic | 33 | 49.0303 | 10.89290       | 1.89621         |
| Body Functioning           | Western Med Clinic | 71 | 40.2958 | 10.77881       | 1.27921         |
|                            | Chinese Med Clinic | 33 | 42.3333 | 11.64492       | 2.02712         |

The Independent Samples Test by Variable - Western medicine vs. Chinese medicine is shown in Table 12.

**Table 12. Independent Samples Test by Variable.**

|                            |                         | t-test for Equality of Means |     |                 |                 |
|----------------------------|-------------------------|------------------------------|-----|-----------------|-----------------|
|                            |                         | t                            | df  | Sig. (2-tailed) | Mean Difference |
| State Anger                | Equal variances assumed | 1.198                        | 102 | .234            | 2.77678         |
| Trait Anger                | Equal variances assumed | .931                         | 102 | .354            | 2.06487         |
| Anger Expression Index     | Equal variances assumed | .091                         | 102 | .928            | .19718          |
| State Anxiety              | Equal variances assumed | .971                         | 102 | .334            | 3.05634         |
| Trait Anxiety              | Equal variances assumed | .781                         | 102 | .436            | 2.30687         |
| Global Self Esteem         | Equal variances assumed | -.152                        | 102 | .880            | -.36406         |
| Self Control               | Equal variances assumed | 1.792                        | 102 | .076            | 4.67520         |
| Identity Integration       | Equal variances assumed | -.835                        | 102 | .405            | -1.72172        |
| Defensive Self-Enhancement | Equal variances assumed | 2.836                        | 102 | .006            | 6.24883         |
| Competence                 | Equal variances assumed | -1.630                       | 102 | .106            | -3.76995        |
| Lovability                 | Equal variances assumed | 1.533                        | 102 | .128            | 3.76697         |
| Personal Power             | Equal variances assumed | -1.506                       | 102 | .135            | -3.12377        |
| Moral Self-approval        | Equal variances assumed | -.957                        | 102 | .341            | -2.69142        |
| Body Appearance            | Equal variances assumed | -.560                        | 102 | .577            | -1.24157        |
| Body Functioning           | Equal variances assumed | -.875                        | 102 | .384            | -2.03756        |

As can be seen, those participants who were recruited from Western medical clinics scored higher than their counterparts from the Chinese medical clinic in State Anger, Trait Anger, State Anxiety, Trait Anxiety, Self Control, Defensive Self-Enhancement, Lovability, and Personal Power. Participants recruited from the Chinese medical clinic scored higher than their counterparts from the Western medical clinics in Identity Integration, Competence, Personal Power, Moral Self-Approval, Body Appearance, and Body Functioning. Mean scores for Anger Expression Index and Global Self-Esteem were about the same for both groups.

In terms of significant differences between groups, Defensive Self-Enhancement was significantly higher for the HCV patients recruited from Western medical clinics ( $p=.006$ ), Self-Control was "marginally" significantly higher among the patients recruited from Western medical clinics ( $p=.07$ ); and Competence was marginally significantly higher among the patients from the Chinese medicine clinic ( $p=.10$ ). It could be said that if this had been a one-tail test, clear significance would be seen in these two variables.

In the data-gathering phase of this research study, HCV participants were asked what treatment protocol(s) they were following for their health care. Options were: (a) Western conventional drug therapy (i.e.: Interferon/Ribavirin), (b) Eastern medicine (acupuncture, herbs, meditation, etc.), (c) a combination of Western and Eastern treatment modalities, and (d) no treatment at all. Tables 14, 16, and 18 show that individuals who used a combination of Western and Eastern medicine, i.e.: *integrative medicine*, scored better than did their counterparts on virtually every scale on all three personality inventories – i.e.: lower on the scales of Trait Anger, Anger Expression Index, State Anxiety, Trait Anxiety, and higher on the scales of Global Self-Esteem, Identity Integration,

Competence, Moral Self-Approval, Personal Power, Body Appearance, and Body Functioning.

**Table 13. Case Processing Summary - Anger/Anxiety - HCV Group.**

**Case Processing Summary**

|            | Cases    |         |          |         |       |         |
|------------|----------|---------|----------|---------|-------|---------|
|            | Included |         | Excluded |         | Total |         |
|            | N        | Percent | N        | Percent | N     | Percent |
| SAng * TX  | 104      | 100.0%  | 0        | .0%     | 104   | 100.0%  |
| TAng * TX  | 104      | 100.0%  | 0        | .0%     | 104   | 100.0%  |
| AXInd * TX | 104      | 100.0%  | 0        | .0%     | 104   | 100.0%  |
| SAnx * TX  | 104      | 100.0%  | 0        | .0%     | 104   | 100.0%  |
| TAnx * TX  | 104      | 100.0%  | 0        | .0%     | 104   | 100.0%  |

**Table 14. Comparison of Anger and Anxiety Variables by Treatment Type.**

**Report**

| TX      |                | SAng     | TAng     | AXInd    | SAnx     | TAnx     |
|---------|----------------|----------|----------|----------|----------|----------|
| Western | Mean           | 51.4706  | 46.4706  | 50.6471  | 54.1176  | 57.4118  |
|         | N              | 34       | 34       | 34       | 34       | 34       |
|         | Std. Deviation | 11.04601 | 8.39998  | 9.92970  | 13.66651 | 14.77737 |
| None    | Mean           | 51.8333  | 53.0556  | 53.3333  | 61.4722  | 63.3056  |
|         | N              | 36       | 36       | 36       | 36       | 36       |
|         | Std. Deviation | 12.13613 | 11.62742 | 9.84451  | 16.89884 | 13.88487 |
| TCM     | Mean           | 49.0476  | 50.1905  | 54.7619  | 56.8095  | 61.6190  |
|         | N              | 21       | 21       | 21       | 21       | 21       |
|         | Std. Deviation | 9.89180  | 10.71270 | 10.26599 | 13.30270 | 10.76790 |
| W/E     | Mean           | 49.5385  | 44.7692  | 48.4615  | 53.1538  | 53.5385  |
|         | N              | 13       | 13       | 13       | 13       | 13       |
|         | Std. Deviation | 10.13752 | 9.07518  | 11.66630 | 13.18361 | 14.88632 |
| Total   | Mean           | 50.8654  | 49.2885  | 52.1346  | 57.0865  | 59.8173  |
|         | N              | 104      | 104      | 104      | 104      | 104      |
|         | Std. Deviation | 11.02077 | 10.52383 | 10.25600 | 14.93618 | 13.98596 |

**Table 15. Case Processing Summary GSE, SFC, IDN, DEF, CMP.**

**Case Processing Summary**

|          | Cases    |         |          |         |       |         |
|----------|----------|---------|----------|---------|-------|---------|
|          | Included |         | Excluded |         | Total |         |
|          | N        | Percent | N        | Percent | N     | Percent |
| GSE * TX | 104      | 100.0%  | 0        | .0%     | 104   | 100.0%  |
| SFC * TX | 104      | 100.0%  | 0        | .0%     | 104   | 100.0%  |
| IDN * TX | 104      | 100.0%  | 0        | .0%     | 104   | 100.0%  |
| DEF * TX | 104      | 100.0%  | 0        | .0%     | 104   | 100.0%  |
| CMP * TX | 104      | 100.0%  | 0        | .0%     | 104   | 100.0%  |

**Table 16. Comparison of Self-Esteem Scales by Treatment Type - Part 1.**

**Report**

| TX      |                | GSE      | SFC      | IDN      | DEF      | CMP      |
|---------|----------------|----------|----------|----------|----------|----------|
| Western | Mean           | 49.9118  | 53.5882  | 52.4706  | 61.0588  | 50.4706  |
|         | N              | 34       | 34       | 34       | 34       | 34       |
|         | Std. Deviation | 11.96806 | 12.40752 | 10.10621 | 10.04216 | 10.93572 |
| None    | Mean           | 48.6944  | 52.0278  | 49.7500  | 56.4167  | 48.7222  |
|         | N              | 36       | 36       | 36       | 36       | 36       |
|         | Std. Deviation | 10.76189 | 13.88007 | 9.36673  | 10.92409 | 10.74007 |
| TCM     | Mean           | 47.0000  | 47.7619  | 52.2381  | 52.0000  | 52.5238  |
|         | N              | 21       | 21       | 21       | 21       | 21       |
|         | Std. Deviation | 8.63713  | 10.20247 | 8.52000  | 10.25183 | 11.68169 |
| W/E     | Mean           | 56.4615  | 49.8462  | 54.0000  | 55.5385  | 54.3077  |
|         | N              | 13       | 13       | 13       | 13       | 13       |
|         | Std. Deviation | 13.48218 | 12.02668 | 11.91638 | 10.42925 | 11.26488 |
| Total   | Mean           | 49.7212  | 51.4038  | 51.6731  | 56.9327  | 50.7596  |
|         | N              | 104      | 104      | 104      | 104      | 104      |
|         | Std. Deviation | 11.33725 | 12.51292 | 9.76863  | 10.81016 | 11.06775 |

**Table 17. Case Processing Summary LVE, PWR, MOR, BAP, BFN.**

| Case Processing Summary |          |         |          |         |       |         |
|-------------------------|----------|---------|----------|---------|-------|---------|
|                         | Cases    |         |          |         |       |         |
|                         | Included |         | Excluded |         | Total |         |
|                         | N        | Percent | N        | Percent | N     | Percent |
| LVE * TX                | 104      | 100.0%  | 0        | .0%     | 104   | 100.0%  |
| PWR * TX                | 104      | 100.0%  | 0        | .0%     | 104   | 100.0%  |
| MOR * TX                | 104      | 100.0%  | 0        | .0%     | 104   | 100.0%  |
| BAP * TX                | 104      | 100.0%  | 0        | .0%     | 104   | 100.0%  |
| BFN * TX                | 104      | 100.0%  | 0        | .0%     | 104   | 100.0%  |

**Table 18. Comparison of Self-Esteem Variables by Treatment Type - Part 2.**

| Report  |                |          |          |          |          |          |
|---------|----------------|----------|----------|----------|----------|----------|
| TX      |                | LVE      | PWR      | MOR      | BAP      | BFN      |
| Western | Mean           | 51.5882  | 49.4412  | 58.5000  | 46.7059  | 39.2059  |
|         | N              | 34       | 34       | 34       | 34       | 34       |
|         | Std. Deviation | 12.03308 | 10.96328 | 13.58531 | 10.89490 | 11.19193 |
| None    | Mean           | 49.3611  | 52.3889  | 51.8889  | 48.6111  | 41.1389  |
|         | N              | 36       | 36       | 36       | 36       | 36       |
|         | Std. Deviation | 12.95741 | 9.03731  | 13.88479 | 10.20442 | 10.58882 |
| TCM     | Mean           | 45.6667  | 52.0476  | 56.9524  | 47.9524  | 40.7619  |
|         | N              | 21       | 21       | 21       | 21       | 21       |
|         | Std. Deviation | 9.64538  | 9.16229  | 13.86894 | 11.06109 | 11.36180 |
| W/E     | Mean           | 50.4615  | 54.5385  | 59.1538  | 51.2308  | 45.2308  |
|         | N              | 13       | 13       | 13       | 13       | 13       |
|         | Std. Deviation | 10.06326 | 10.42925 | 7.61409  | 9.73956  | 11.48299 |
| Total   | Mean           | 49.4808  | 51.6250  | 55.9808  | 48.1827  | 40.9423  |
|         | N              | 104      | 104      | 104      | 104      | 104      |
|         | Std. Deviation | 11.74154 | 9.90556  | 13.34747 | 10.49712 | 11.04521 |

These findings are discussed in further detail in [Chapter 5](#).

## CHAPTER 5: CONCLUSIONS, DISCUSSION, AND SUGGESTIONS

*The concept of total wellness recognizes that our every thought, word, and behavior affects our greater health and well-being. And we, in turn, are affected not only emotionally but also physically and spiritually.*

➤ Greg Anderson

The initial impetus of this research study came from the researcher's attraction to psychoneuroimmunology and Eastern theory relative to disease states as an adjunct to Western medicine; as providing logical, often metaphoric, association with various diseases. The results of this study did show that personality traits, characteristics, and emotions are associated with a specific disease as documented by Western medicine, namely HCV, highlighting that the concepts of Eastern medicine, Western medicine, and psychoneuroimmunology, engaged together, are powerful partners in describing the whole-person approach to illness. Used in concert, this triad could easily make a significant contribution to wellness and understanding disease.

The following discussion will show how the outcome of personality inventories taken by individuals with a medical diagnosis of HCV played into the principles of Eastern tradition and the precepts of psychoneuroimmunology, with specific emphasis on the personality traits named in the hypothesis of this study: anger, anxiety and self-esteem. Ancillary findings are also discussed.

### Discussion

As was discussed in [Chapter 4 - Results](#), personality variables as measured by *The State-Trait Anger Expression Inventory-2<sup>TM</sup>* (STAXI-2<sup>TM</sup>), *The State Trait Anxiety Inventory*, Form Y (STAI), and the *Multidimensional Self-Esteem Inventory* (MSEI),

when assessed by the forced entry method of discriminant analysis, allowed for accurate classification into HCV and Control groups at 79.4%, well beyond chance levels. For a basic comparison of groups, refer to [Figure 3](#), page 49, which shows that with regard to all variables of anger and anxiety, the mean T scores of the HCV group are higher than those of the control group, and as relates to Global Self-Esteem, the mean T scores of the HCV group are lower than those of the control group.

As has been stated, the second, and more optimal way of identifying the variables most predictive of group membership, the stepwise method of variable entry, yielded a four variable model comprised of: Body Functioning, State Anxiety, Defensive Self Enhancement, and Anger Expression Index ( $p < .001$ ). The four variable model matches precisely that which was hypothesized (Refer to [Figure 4](#), page 55). Each variable in this model - Body Functioning, State Anxiety, Defensive Self-Enhancement, and Anger Expression Index – will be discussed in terms of its relevance within the precepts of Western medicine, Eastern medicine, and psychoneuroimmunology.

#### **[Four Variable Model - East and West](#)**

##### ***Body Functioning***

It is reasonable to infer that one with a chronic illness would manifest compromised "body functioning" – with or without drug therapy compounding the challenge. O'Brien and Epstein, authors of the MSEI, describe the scale, Body Functioning, as "Well-coordinated, agile, in good physical condition, comfortable with body, enjoys physical activities such as dancing or sports, feels healthy and feels a sense of vitality and vigor in body functioning" on one end of the spectrum (high scores), to "Awkward clumsy, uncoordinated, in poor physical condition, uncomfortable with body, dislikes engaging in

physical activities, feels unhealthy and that body is dull, lifeless and sluggish," on the other end of the spectrum (low scores).<sup>1</sup>

The fact that a scientific measure such as the MSEI showed HCV patients low in body functioning plays into the definition of a compromised liver according to Chinese medicine. Liver function, whether healthy or threatened, manifests at various levels through the body. Leggett (1999) states, "Free flow of movement and all physiological processes are seen as an expression of Liver energy: this includes the supple workings of the joints and musculature as well as the opening and closing of valves or the smoothness of peristaltic movement. Psychologically this is reflected in the free flow of emotions. Mentally this is reflected in an ability to think creatively, transform difficulty, and keep in sight the whole picture."<sup>2</sup>

Structurally the Liver manifests in those parts of the body which give power, flexibility and grace in movement: the muscles and joints, and their supporting structures: the tendons and ligaments. Strong and flexible joints are essential for coordination and ease of movement. The Liver supplies Blood and, through the action of its ...partner, the Gall Bladder, supplies Qi to the joints and helps to lubricate all movement.

The Liver's coordinating action is also expressed through the nervous system: the smooth, efficient action of neurons and chemical messengers may be seen as the Liver smoothing the flow of Qi. Awkward physical movement and disrupted internal movement may be seen in part as disharmony in the Liver's realm.

The Liver has a close relationship with the Spleen, and constrained Liver energy easily influences the digestion. The Liver also governs the diaphragm whose action largely determines the smoothness of the digestive process as well as the efficiency of the lungs...<sup>3</sup>

## *Anxiety*

Very much related to the compromised liver according to the theory of Chinese medicine is the state of anxiety. According to Beinfield and Korngold (1991), one of the contradictions of the "liver personality" (Wood) is the feeling of invincibility, yet the fear of vulnerability and loss of control.<sup>4</sup> With fear and vulnerability of loss of control comes anxiety. Moreover, it is important to remember that according to Chinese theory the organs of the body represent a series of bodily functions – at, in, and around them – rather than a single organ. In that vein, Leggett (1999) states, "Psychologically, the Liver organizes us towards the realization of our potential helping us to manifest the potential for growth stored in the Kidney."<sup>5</sup> The emotions thought to correlate with the Kidneys are fear, fright, and anxiety.<sup>6</sup>

Anxiety, as an emotion, is difficult to define, though simply stated by Philip Lichtenberg (1957), anxiety is fear without "specific conscious stimulus."<sup>7</sup> Spielberg (1983) describes anxiety states as being "characterized by subjective feelings of tension, apprehension, nervousness, and worry, and by activation or arousal of the autonomic nervous system."<sup>8</sup> Further, he likens State Anxiety to "kinetic energy" that "refers to a palpable reaction or process taking place at a given time and level of intensity."<sup>9</sup>

Repeating earlier statements, the S-Anxiety scale of the *State-Trait Anxiety Inventory* evaluates how respondents feel "right now, at this moment, and the T-Anxiety scale assesses how respondents "generally" feel and "implies differences between people in the disposition to respond to stressful situations with varying amounts of S-Anxiety."<sup>10</sup> Therefore, State-Anxiety, as "situational" anxiety, occurs when an individual is not in control of a situation, causing nervousness, worry and agitation. Recall the description of

the individual with liver disease ([Chapter 2](#)) as needing to be in control, particularly as relates to the structuring of potential into experience – what has been called the "plan" of one's life. "The liver bears the brunt of our 'worry' – obsessing over the Plan and the countless ways it might miscarry."<sup>11</sup>

It could be said that chronic illness renders individuals somewhat powerless over their own health, so it is reasonable that they would attempt to control other facets of their lives that they perceive can be controlled. When a situation arises that is out of their control, is not routine, or is somewhat threatening, anxiety can occur. This measure of anxiety is *State Anxiety* as dubbed by the STAI. While scores on this scale can be influenced by emotions related to the current situations like divorce, illness, or drug-related therapy, the scores most likely adversely affected would be those of Trait Anxiety – how one feels "in general," rather than state-specific anxiety.

With reference to the intricacy of the body and organs under theory of Chinese medicine, the blood, too, plays a role in liver disease by distributing the spirit, or Qi. As stated in [Chapter 2](#), "Through the task of holding and releasing the *Blood*, the *Liver* spreads the Qi."<sup>12</sup> Therefore, not only has the virus compromised the liver, it has compromised the Qi, or spirit, manifesting in the psyche as "agitation, nervous tension, suppressed emotion, and frustration."<sup>13</sup> That is particularly fitting to the study of HCV, because according to Western medicine, HCV is introduced to the body by way of the blood. The HCV virus enters the blood, and "Renewal of the Blood is dependent on the power of the Liver which is said to store the Blood. In Western medicine, blood is known to be the carrier of neuropeptides...In Chinese medicine, Blood is seen as housing the Mind as the home of consciousness...and weakness of the Blood can also mean that

consciousness loses its mooring, that the Mind floats restlessly out of the body giving rise to...feelings of anxiety."<sup>14</sup>

### *Self-Esteem*

While the variable of Global Self-Esteem of the MSEI did not fit into the four-variable model, per se, one of the other major elements of its self-esteem model did. This scale is termed Defensive Self-Enhancement and is one of the three major scales, along with Global Self-Esteem and Identity Integration. These scales are fully defined in [Appendix A](#).

O'Brien and Epstein define Defensive Self-Enhancement as a "validity measure to provide important information on the degree to which a person is defensively inflating his or her self-presentation."<sup>15</sup> The two ends of the spectrum show an individual who is "Defensive, overly inflated view of self-worth, claims to possess highly unlikely positive qualities, denies ubiquitous human weakness" on the one hand, and one who is "Open, nondefensive evaluation of self-worth, makes no claims of rare virtues, and acknowledges common human weakness" on the other.<sup>16</sup>

One of the functions of the liver according to theory of Chinese medicine is to store the "Non-Corporeal Soul (Hun).<sup>17</sup> Because the Non-Corporeal Soul is responsible for human kindness or benevolence, it is sensitive to the boundaries that make for the recognition of self and others...When the Hun is insufficiently assertive, it can lead to a lack of self-worth or self-esteem,"<sup>18</sup> in this case defensiveness and denial of weakness. This individual portrays a self-image out of alignment with reality. "Defensiveness can be manifested in a bewildering number of ways - e.g., compensation, projection, denial, reaction formation, selective attention."<sup>19</sup>

As mentioned in [Chapter 2](#), according to Eastern tradition, the liver resides in the third chakra of the body, and psychological threats to this chakra include issues of self-esteem, self-confidence, self-respect, sensitivity to criticism, and fear of intimidation.<sup>20</sup> "This energy center relates most strongly to the belief patterns we hold about ourselves, including our physical appearance, intelligence, physical abilities, and skills...In short, this chakra is the center of our self-esteem..."<sup>21</sup> (See also, [Appendix A](#) for definitions of Body Appearance, Competence, and Bodily Functioning.)

As discussed in [Chapter 3](#), the researcher interviewed all HCV participants personally. At the time of these interviews, the researcher was convinced that the HCV participants seemed quite "healthy" in terms of anger, anxiety, and self-esteem, and preliminarily predicted that there would be no difference between the HCV group and the control group in these areas. After the personality inventories were scored, it was seen that, in fact, that was not the case. This was perhaps blocked self-awareness, denial or "defensive self-enhancement" at its best: the HCV participants may have been attempting to cover all traces of anger, anxiety, and low self-esteem.

### ***Anger Expression***

The liver "gives us the desire to assert who we are and express our creative energy in the world. The liver drives us along the path to self-realisation, determined that we grow. When this force is obstructed, anger is the natural result."<sup>22</sup> Further elaboration according to Chinese theory is that the liver stores and distributes blood, and this regulation process determines the quantity and pressure of the blood in the physical body and the evenness of emotion and consistency of behavior in the feeling body. When this

process is jeopardized, "erratic activity in the body and *a volatile temperament*" ensues (italics added for emphasis).<sup>23</sup>

*Anger Expression* (AX-Index), as a scale of the STAXI-2, is an abridgment of anger in its various forms – the feeling of anger (State Anger), the temperament or reaction to anger (Trait Anger), and the expression and control of anger, both inwardly and outwardly. For that reason, it is perhaps the best over-all measure of anger as relates to this particular inventory. As has been noted, *Anger Expression Index* is a part of the HCV four-variable HCV model, and with respect to its definition, Spielberger (1999) states:

Persons with high AX Index scores experience intense angry feelings, which may be suppressed or expressed in aggressive behavior, or both. An individual's most frequent mode of anger expression can be inferred from the relative elevations in that person's AX-I and AX-O scores. Persons with high AX Index scores whose AX-O and AX-I scores also are elevated are likely to experience difficulty in interpersonal relationships and are at *greater risk for developing medical disorders* (italics added for emphasis).<sup>24</sup>

The scale, *Anger Expression Index* (AX-Index), is based on a formula of the following components:

AX Index = AX-O + AX-I - (AC-O + AC-I) + 48. (48 is included in the formula to eliminate negative numbers), and the definition of each component is as follows:

**Anger Expression-Out (AX-O):** Measures how often angry feelings are expressed in verbally or physically aggressive behavior.


**Anger Expression-In (AX-I):** Measures how often angry feelings are experienced but not expressed (suppressed).

**Anger Control-Out (AC-O):** Measures how often a person controls the outward expression of angry feelings

**Anger Control-In (AC-I):** Measures how often a person attempts to control angry feelings by calming down or cooling off.

**Anger Expression Index:** Provides a general index of anger expression based on responses to the **AX-O**, **AX-I**, **AC-O**, and **AC-I** items.<sup>25</sup>

To summarize, *Anger Expression Index* provides an overall measure of anger – the emotion, feel (*State Anger*), the temperament, reaction (*Trait Anger*), and the expression and control of anger [*Anger Expression* and *Anger Control*, differentiating between the suppression of angry feelings (anger-in) and the expression of anger toward other persons or objects (anger-out)].<sup>26</sup> As can be seen in Figure 5, the scores of the participants in the HCV group were considerably higher than those participants in the control group relative to the Anger Expression Index.



**Figure 5. Anger Expression Index, A Comparison.**

It should be noted that 26% of the HCV group participants showed results with high AX Index scores coupled with high AX-O and AX-I scores, putting them at "greater risk for developing medical disorders."<sup>27</sup> Only 4% of the Control group had such scores.

## Four Variable Model as Seen Through the Eyes of Psychoneuroimmunology

As discussed in [Chapter 2](#), the key to unlocking the mystery of how personality traits affect the liver – and vice versa – may lie with the condition of the immune system as the direct object of individual coping skills and the ability or inability to handle the stressors – including negative emotions – of life. Such stressors to the immune system can be the emotions of anger, anxiety, and low self-esteem, themselves, and they can render the immune system the weak link of the body allowing potential invaders, i.e. a virus of the liver, to take over. HCV and drug therapy taken in an effort to treat it, add to the cycle allowing the possible exacerbation of anger, anxiety and low self-esteem – that in turn add to the severity of the liver disease. This cyclical pattern will be discussed in further detail under **Conclusions**, this chapter.

Recall the discussion in [Chapter 2](#) relative to the production of proinflammatory and anti-inflammatory cytokines that influence a host of medical conditions that can be directly stimulated by negative emotions and stressful experiences. With specific reference to *body functioning*, Kiecolt-Glaser, et al. (2002) cite research by Hamerman (1999) and Taaffe et al. (2000) showing that "chronic inflammation has been suggested as one key biological mechanism that may fuel declines in physical function leading to frailty, disability, and ultimately death."<sup>28</sup> They also refer to research of Ferrucci, et al. (1999) linking the release of cytokines with disability and muscle atrophy, so it is reasonable to suggest that there is more to loss of body function than disease and drug therapy; that emotions play a role as well.

Skeptics could easily argue that the anger and anxiety components of the "HCV personality," as with body functioning, are merely inherent to the disease and/or its drug

treatment protocol, giving no credence to the power of anger and anxiety as contributing to, or exacerbating the disease. As has been shown immunological factors are involved in stress-related processes that link personality to physical disease, so the notion that emotions such as *anger* and *anxiety* provoke the release of pituitary and adrenal hormones that have multiples effects on the body, including alterations in immune function is logical. *Anxiety*, for example, "can activate the sympathetic-pituitary-adrenocortical (HPA) axis."<sup>29</sup> "Numerous studies have suggested that a variety of emotion-responsive hormones including the catecholamines (norepinephrine and epinephrine), adrenocorticotropin hormone, cortisol, growth hormone, and prolactin can impel quantitative and qualitative changes in immune function..."<sup>30</sup>

### [Why HCV? A Closer Look](#)

HCV, specifically, was chosen for this study rather than "general" liver disease (including such notables as autoimmune liver disease, fatty liver, alcohol-induced liver disease, cirrhosis, Wilson's disease, and liver cancer) because of its behavioral aspect (generally construed as "at risk behavior") versus a liver disease with a genetic component. Note: At-risk behavior in this context incorporates all behaviors and emotions injurious to the individual. HCV is considered a disease that is introduced to the body from "external sources."

The hepatitis A virus generally enters the body by the ingestion of contaminated food or drink. From the standpoint of Western medicine the manifestation of the hepatitis viruses B (HBV), C (HCV), and D (HDV), is based on a virus entering the body, in some cases as a result of behavior. In humans, hepatitis D virus infection only occurs in the presence of hepatitis B infection. The hepatitis viruses, for the sake of this discussion,

then, are behaviorally based, notwithstanding a potential genetic influence on the immune system. The hepatitis D virus is replication-defective and therefore cannot propagate in the absence of another virus,<sup>31</sup> so hepatitis A and hepatitis D, along with the other forms of liver disease were ruled out for the purposes of this study.

Both HBV and HCV are transmitted blood-to-blood, but HBV is the virus of the two shown to be more commonly transmitted through sexual activity. While HCV and HBV appear to be similar, they have significant differences. HCV is an RNA virus; HBV is a DNA virus. Some RNA viruses (also known as retroviruses) including HIV, and DNA viruses have very different ways of reproducing themselves, but they frequently integrate their own genome into that of the "host" cell. When the immune system is compromised, the HCV virus is able to enter and take over, analogous to a large corporation with a weak infrastructure being taken over by corporate raiders. These invaders enter and totally change the "corporate culture."

This process, too, is reminiscent of the concept of psychoneuroimmunology as stated in [Chapter 2](#). Metaphoric of the virus making its way into the host cell, "molecules of emotion," diffuse through the fluids surrounding each cell of the body and bind themselves via ligand (neurotransmitter, steroid, and/or peptide) to its own specific receptor on the surface of a cell. The receptor then transmits the ligand from the surface of the cell, deep into the cell's interior, where the message can change the state of the cell dramatically.<sup>32</sup>

The HCV virus is a fragile virus that is single stranded, unstable, does not integrate, and relishes taking up residency in the liver. The HBV virus is not fragile, is partially double stranded, stable, and may integrate or sequester in various areas of the body.


HCV is a fragile virus and therefore easily destroyed; able to live only a few hours outside of the body, and it is classified as unstable. A stable virus, like HBV, has a relatively small number of genetic mutations among its strains and does not mutate at a high rate. (Of note, it is easier to develop a vaccine against a stable virus than one that mutates frequently. Testament to that is the fact that there is an effective vaccine available for the prevention of HBV infection while there has been no vaccine yet developed for HCV.)

Paring down liver disease from general terms to specific, then, HCV is well-suited to stand up to analysis by the precepts of both Eastern medicine and psychoneuro-immunology. It has a life of its own (it is not genetic, does not integrate, is unstable and mutates) and is elusive; difficult to "trap." Again from a metaphoric standpoint, the hepatitis C virus is *unstable and out of control* – similar to a descriptive used in Chinese medicine to describe the compromised Wood personality: the individual wants to be in charge but misses the companionship of equals, yearns to act but subject to uncontrollable impulse, makes rules but likes to break them, demands freedom but needs to struggle, feels invincible but fears vulnerability and loss of control.<sup>33</sup>


### [Additional Findings](#)

As discussed in [Chapter 4, Results](#), HCV participants were asked during the data-gathering phase of this research study about the treatment protocol(s) they were following for their health care. Options were: (a) Western conventional drug therapy (i.e.: Interferon/Ribavirin), (b) Eastern medicine (acupuncture, herbs, meditation, etc.), (c) a combination of Western and Eastern treatment modalities, and (d) no treatment at all.


Figures 6 through 16 show that individuals who used a combination of Western and Eastern medicine, i.e.: *integrative medicine*, scored better – i.e.: higher or lower depending on the scale – than did their counterparts on virtually every scale on all three personality inventories: lower on Trait Anger, Anger Expression Index, State Anxiety, Trait Anxiety; and higher on Global Self-Esteem, Identity Integration, Competence, Moral Self-Approval, Personal Power, Body Appearance, and Body Functioning. Perhaps the fact that these participants were receptive to different healing modalities reflects openness to possibility; a willingness to do whatever is needed to be well. Perhaps it translates to individuals who are less angry, anxious, and more comfortable with themselves; or perhaps the reverse is true: that because they are less angry and anxious, they are more receptive to different healing modalities – or again, perhaps due to cause and effect, both statements are true.




**Figure 6. Trait Anger by Treatment Modality.**




**Figure 7. Anger Expression Index by Treatment Modality.**




**Figure 8. State Anxiety by Treatment Modality.**




**Figure 9. Trait Anxiety by Treatment Modality.**




**Figure 10. Global Self-Esteem by Treatment Modality**




**Figure 11. Identity Integration by Treatment Modality.**




**Figure 12. Competence by Treatment Modality.**




**Figure 13. Moral Self-Approval by Treatment Modality**



**Figure 14. Personal Power by Treatment Modality**




**Figure 15. Body Appearance by Treatment Modality.**




**Figure 16. Body Functioning by Treatment Modality.**

According to Figure 16, those being treated with Western drug therapy, alone, scored the lowest on the scale of Body Functioning, as would be expected.


Those individuals whose choice of treatment was Chinese medicine, alone, scored lowest in State Anger and Self-Control, and highest in Lovability as seen in Figures 17-19.



**Figure 17. State Anger by Treatment Modality.**




**Figure 18. Self-Control by Treatment Modality.**



**Figure 19. Lovability by Treatment Modality.**

On the scale of Defensive Self-Enhancement, those who were being treated with Western medical drug therapy, scored quite high as shown on Figure 20.



**Figure 20. Defensive Self-Enhancement by Treatment Modality.**

Participants undergoing treatment under Western medical protocol produced a mean score of 61.0588, while the mean score of those participants undergoing Chinese medical treatments was 52. Conjecture might suggest that individuals undergoing Chinese treatment for HCV are simply more open, in tune with their feelings and behaviors, and are able, or more inclined, to express more freely their emotions than those undergoing drug protocol of Western medicine.

As was discussed in [Chapter 4](#), participants were recruited from Western medical clinics as well as from a Chinese medicine clinic, and in an attempt to uncover all relevant details, results were broken down by variable by treatment *site* to determine if there was a difference in personality results between those patients in the HCV group who were being treated at a Chinese medicine clinic compared to those HCV patients who were being treated at a Western medical clinic (understanding that there were participants at each clinic utilizing both treatment modalities).


Counter to what was depicted by [Figures 6-16](#) – showing that individuals undergoing the treatment modalities of Chinese medicine scored higher than their Western treatment

counterparts in Trait Anger, Anger Expression Index, State Anxiety, and Trait Anxiety – those participants recruited from the Chinese medicine clinic actually scored *lower* than those participants recruited from Western medical clinics with regard to these same variables, including State Anger. With regard to self-esteem scales, they scored higher in Identity Integration, Competence, Moral Self-Approval, Personal Power, Body Appearance, and Body Functioning, and lower in Self-Control, Lovability and Defensive Self-Enhancement than those patients recruited from Western clinics. Scores between the two sites relative to Anger Expression Index and Global Self-Esteem were about the same. Keep in mind that these numbers reflect recruiting site information only and do not necessarily translate to treatment modality. While it could be inferred from this discussion that patients who seek treatment from a Chinese medicine clinic have healthier levels of anger, anxiety, and self-esteem, either by nature, or as a result of treatment received, that inference is in direct conflict with the outcomes of those variables by treatment modalities, most likely due in large part to the fact that there are participants recruited from the Chinese medicine clinic who also seek treatment at a Western medical clinic, and vice versa, perhaps once again pointing to, and highlighting the power of integrative medicine.

### **A Final Thought**


It is natural to conclude that all three personality characteristics – high levels of anger and anxiety, and low levels of self-esteem – are to be expected in an individual with HCV, particularly in an individual undergoing the drug treatment protocol of Interferon and Ribavirin, given their inherent side effects. *In fact*, however, and extremely noteworthy, is that scores on all anger variables – State Anger, Trait Anger,

and Anger Expression Index, and both anxiety variables –State Anxiety and Trait Anxiety – show that those participants undergoing Western treatment actually scored *lower* than their counterparts who were not undergoing treatment of any kind, suggesting that Western treatment cannot be singled out as *the* reason for Anger or Anxiety (See Figure 21). Mean scores for Western Treatment versus no treatment are as follows: State Anger: 51.4706 versus 51.8333, Trait Anger: 46.4706 versus 53.0556, Anger Expression Index: 50.6471 versus 53.333, State Anxiety: 54.1176 versus 61.4722, and Trait Anxiety: 57.4118 versus 63.3056.



**Figure 21. All Anger and Anxiety Scales by Treatment Modality.**

Additionally, HCV individuals undergoing Western drug therapy actually scored higher on Global Self-Esteem, Identity Integration, Competence, Moral Self-Approval, and Self-Control than did their counterparts who are not undergoing any type of treatment for their disease as shown by Figure 22.



**Figure 22. Self-Esteem Scales and Sub-Scales by Treatment Modality.**

There were 34 individuals of the 104 (32.6%) HCV participants who were undergoing drug therapy according to Western medicine (solely), and 36 of the 104 (34.6%) who were not undergoing any type of treatment for their disease, so the comparison of these two subgroups of the HCV group is fairly balanced. The remaining participants were either utilizing Chinese medicine healing modalities or a combination of Western and Chinese medicine.

Side effects of the disease state, itself, are real and cannot be overlooked; yet the degree to which they impact the individual's personality cannot be proven given the study's parameters. "Distressed individuals are more likely to have health habits that put them at greater risk, including poorer sleep, a greater propensity for alcohol and drug abuse, poorer nutrition, and less exercise."<sup>34</sup> These behaviors can have immunological consequences. That in mind, it is also worthy to stress the power of psychoneuroimmunology from a positive perspective and its constructive power on the

immune system as well, as shown by the fact that it is possible for individuals with HCV to clear the virus. It is particularly significant to note that not everyone exposed to the virus presents with it.

## Summary

There is no question that there is a behavioral element and a body/mind/immune system component to illness and health. The arguments presented are compelling. Moreover it is reasonable to believe that no one is exempt from the potential experience of anger, anxiety, and low self-esteem. How individuals *choose* to react to these situations, emotions and behaviors – i.e.: through their individual coping mechanisms – is key to whether or not these emotions are harmful to them.

Very much in line with the "coping mechanism" theory, the *Nei Jing* says, "The Liver is the foundation of curtailing extremes,"<sup>35</sup> the balancer of emotions. Particularly relevant to the states of body functioning, anger expression, anxiety, and defensive self-enhancement, is the statement: "The assertive power of the Liver is balanced by flexibility, by suppleness in one's approach to a situation. The Liver gives the ability to yield when appropriate. Just as we need to be physically supple, a psychological suppleness helps us to get what we want and gracefully accept when we cannot. *We need to be able to bend without snapping* (italics added for emphasis),"<sup>36</sup> as does the willow tree – symbolic of the Organ of Wood element: pliant, resilient and powerful in its growth.<sup>37</sup> "At both the physical and emotional level the Liver gives us willow-like power and flexibility...It is...a power for effective action for which a tough kind of pliancy is

vital."<sup>38</sup> When pliancy, resilience, and power are threatened, anger, anxiety, and the perceived need for defensive self-enhancement may arise – and vice versa.

While this research has addressed only three personality characteristics and compared them to the philosophy of Chinese medicine relative to liver disease, these same characteristics could easily be linked to many of the other descriptives used by Chinese tradition. To repeat, additional traits and tendencies of personality that correspond to liver disease are: domination of power (control), addiction, arrogance; reckless, antagonistic, compulsive, impulsive, and confrontational behavior.<sup>39</sup> This individual has difficulty with intensity, restraint, and anger.<sup>40</sup> The compromised Wood personality as described on page 20 includes language such as "aggressive, hostile, intolerant, a compulsion to work, a loss of judgment, the need for stimulants and sedatives." This personality "yearns to act but is subject to uncontrollable impulse, makes rules but likes to break them, demands freedom but needs to struggle, and feels invincible but fears vulnerability and loss of control."<sup>41</sup>

Perhaps it can be said more explicitly that the common denominator of the behaviors of HCV personalities is their inability to *cope*, aided and abetted by their inability to *control* – their illness, specifically, and various aspects of, and situations and people in their lives, in general. It is conceivable that these individuals cannot cope with the fact that they cannot be in control. Their *control is threatened*, they want to be in control, and as a result, they are *out of control*. These individuals attempt to control what others think of them, portraying an overly inflated view of self-worth (Defensive Self-Enhancement). When they cannot control a given situation, or when their coping skills are compromised, they become anxious (State Anxiety) and frequently experience intense angry feelings

(Anger Expression Index). To be clear, *this is not the profile of every individual with HCV*. This research, however, has clearly shown an HCV personality type significantly different than that of an individual without liver disease.

Recall the discussion of the chakras, or energy centers of the body, from the standpoint of Eastern medicine; the fact that the liver resides in the third chakra, one's "personal power center, the magnetic core of the personality."<sup>42</sup> Myss (1996) states, "The illnesses that originate here are activated by issues related to self-responsibility, self-esteem, fear of rejection, and an oversensitivity to criticism."<sup>43</sup> The individual who fears rejection and/or is oversensitive to criticism could easily display defensive self-enhancement, anxiety, and anger. As previously noted, the individual with HCV is oftentimes a perfectionist or an addictive personality. Perfectionism is a form of control, and escaping one's reality by stimulants, sedatives, and addictive behaviors (including workaholism) can be a preferable alternative to the challenges of *real* life – a form of control that can lead to an out of control situation.

It is with some frequency that individuals with HCV carry a stigma associated with drug use and are merely considered "addictive" personalities who have made bad choices. In this study, virtually 50% of the participants in the HCV group who contracted HCV admitted to being exposed to the virus through needle injection/drug use. While characteristics such as control, and reckless, impulsive behavior come to mind, a broader description of these individuals is fitting and more equitable. As has been shown, the inference could be potential self-esteem issues, the display of defensive self-enhancement, and/or acting out of anger, *and* anxiety. These traits are tightly interwoven

– and encompass many other behaviors – both from a Western and an Eastern perspective.

## Conclusions


The goal of this research was to determine whether a configuration of personality traits – specifically anger, anxiety, and low self-esteem – exists common to individuals with HCV and to analyze the potential association of these traits relative to the existence and/or exacerbation of the disease. This research successfully – and significantly – fulfilled that goal. What has emerged is the picture of an individual with HCV who has a higher than normal level of anger expression, a higher than normal level of state anxiety, and a higher than normal level defensive self-enhancement, as a sub-set of self-esteem.

This study does not suggest that the personality components of anger, anxiety and self-esteem are the direct "cause" of HCV, but correlation is clear. Well taken is the adage, "The invalid assumption that correlation implies cause is probably among the two or three most serious and common errors of human reasoning."<sup>44</sup> And in line with the introductory quotation in [Chapter 1](#), each variable in any system does interact with the other variables so thoroughly that cause and effect cannot be separated. It is insufficient to say that one's behavior has merely threatened the liver, because the compromised liver also exacerbates the behavior, demonstrating that illness represents a cycle of compromised soma, psyche, and personality.

The process is not one-directional, for the diseased liver, in turn, radiates its toxins outwardly to the personality. Conversely, a positive personality bolsters the immune system, and vice versa. Of major significance to this discussion is the fact that there are those who manage to stave off the ravages of HCV. There are individuals shown to have

HCV virus in the blood, post exposure, but hepatitis does not develop, no immune response is seen, and virus clearance takes place.<sup>45</sup> There are other individuals in whom, post exposure, the hepatitis virus is not seen at all. Western medicine does not have an answer for this phenomenon, but from the standpoint of Eastern tradition and psychoneuroimmunology, the explanation is clear.

There is no question that one's roots, whether speaking of immunological disease-fighting deficiencies or one's personality, contribute to illness and health of the *whole* person. As has been said, disease, according to the scientist is a function of an immune or biological component; disease to Eastern tradition is influenced by behaviors, attitudes, and beliefs; and the mores of psychoneuroimmunology combine both. Figure 23, next page, shows that the three are inexorably intertwined.



[Figure 23. Integration of the Three Mores](#)

### [Suggestions for Future Research](#)

Based on the findings of this research, it would be interesting to conduct a study to determine if individuals at risk, according to this study cohort, may actually acquire HCV infection at a higher rate than people without this personality profile. It would be necessary, however, to follow a group of individuals prior to the onset of HCV virus. In that vein, one of the limitations of this study was that it had no pre-disease measurements of the participants, and admittedly that would be virtually impossible to accomplish unless individuals were followed for a number of years. Important information to have

would be: how the HCV participant "looked" before onset HCV in terms of these personality variables. A long-term study would be required to determine those answers. It would also be interesting to track, over time, those individuals in the control group of this study, particularly those who had high scores in anger and anxiety and low scores in the self-esteem measures in an effort to see if liver disease, specifically HCV, does ultimately present.

In the case of future research in line with this study, if expense were not a consideration, it would be helpful to have individuals in the control group pre-tested for HCV to determine if they have the virus prior to inclusion. Because HCV is largely asymptomatic, potentially for decades, there may be individuals in the control group, this study, who have HCV and do not know it. In addition to tracking the control group, it would be interesting to follow the HCV group to determine the number or percentage of individuals who clear the virus. It would also be helpful to know to the modality of healing to which they attributed clearance.

Gender and educational demographics are noted in this study but were determined irrelevant to its outcome. Perhaps it would be worthy to delve deeper to establish if, and to what degree, these aspects of the individual influence levels of anger, anxiety, and self-esteem. Research, too, has shown that there are potential differences in well-being and health outcomes that may derive from socioeconomic status, and racial and ethnic influences, so those factors could be included and measured in a future study. It has been seen that "racial and ethnic disparities in morbidity and mortality exist in a number of health-related conditions, including cancer...HIV, and preventable infectious illness...all of which involve the immune system,"<sup>46</sup>

A cautionary note, perhaps beneficial in the usage of personality inventories, particularly as relates to inventories that ask sensitive questions to which candid answers are essential: one of the most important considerations is that rapport and trust must be established, pre-testing, between researcher and participant in order that the participant feel safe enough to answer personal questions honestly and appropriately to avoid confounding the results.

Finally, it would be interesting to repeat this study with various other disease states, same goal in mind: to determine if, and/or how, personality traits are associated with them; and to examine whether behavioral elements of illness and health can be established in alignment with the precepts of Chinese medicine and its body, mind, and spirit connection.

*Enlightenment will be now the beginning, not the end. Beginning of a non-ending process in all dimensions of richness.*

Bhagwan Shree Rajneesh

## Chapter 5 Endnotes

- 
- <sup>1</sup> Edward O'Brien and Seymour Epstein, *MSEI, The Multidimensional Self-Esteem Inventory – Professional Manual* (Lutz, Florida: PAR Psychological Assessment Resources, Inc., 1988), 6
- <sup>2</sup> Daverick Leggett, *Recipes for Self-Healing* (Totnes, Devon: Meridian Press, 1999), 42.
- <sup>3</sup> *Ibid.*, 61-62.
- <sup>4</sup> Harriet Beinfield and Efrem Korngold, *Between Heaven and Earth: A Guide to Chinese Medicine* (New York: The Random House Publishing Group, 1991), 145.
- <sup>5</sup> Daverick Leggett, *Recipes for Self-Healing* (Totnes, Devon: Meridian Press, 1999), 62.
- <sup>6</sup> Ted Kaptchuk, *The Web That Has No Weaver: Understanding Chinese Medicine* (New York: McGraw Hill, 2000), 158.
- <sup>7</sup> Philip Lichtenberg, "A Definition and Analysis of Depression," *Archives of Neurology and Psychiatry* 7 (1957): 519.
- <sup>8</sup> Charles Spielberger, *State -Trait Anxiety Inventory, Form Y Manual*. (Redwood City, CA: MindGarden Publishing, 1983), 4.
- <sup>9</sup> *Ibid.*, 5.
- <sup>10</sup> *Ibid.*, 5
- <sup>11</sup> Rudolph Ballantine, *Radical Healing: Integrating the World's Great Therapeutic Traditions to Create a New Transformative Medicine* (New York: Three Rivers Press, 1999), 188.
- <sup>12</sup> Harriet Beinfield and Efrem Korngold. *Between Heaven and Earth: A Guide to Chinese Medicine* (New York: The Random House Publishing Group, 1991), 107.
- <sup>13</sup> *Ibid.*
- <sup>14</sup> Daverick Leggett, *Recipes for Self-Healing* (Totnes, Devon: Meridian Press, 1999), 84-85.
- <sup>15</sup> *Ibid.*
- <sup>16</sup> *Ibid.*, 6.
- <sup>17</sup> Ling Shu as cited by Ted Kaptchuk, *The Web That Has No Weaver: Understanding Chinese Medicine* (New York: McGraw Hill, 2000), 82.
- <sup>18</sup> Ted Kaptchuk, *The Web That Has No Weaver: Understanding Chinese Medicine* (New York: McGraw Hill, 2000), 82.
- <sup>19</sup> Edward O'Brien and Seymour Epstein, *MSEI, The Multidimensional Self-Esteem Inventory – Professional Manual* (Lutz, Florida: PAR Psychological Assessment Resources, Inc., 1988), 8.
- <sup>20</sup> Caroline Myss, *Why People Don't Heal and How They Can* (New York: Three Rivers Press, 1997), 58-59.
- <sup>21</sup> *Ibid.*, 62.
- <sup>22</sup> *Ibid.*, 62.
- <sup>23</sup> Harriet Beinfield and Efrem Korngold, *Between Heaven and Earth: A Guide to Chinese Medicine* (New York: The Random House Publishing Group, 1991), 105.

---

<sup>24</sup> Charles Spielberger. *STAXI-2™ State-Trait Anger Expression Inventory-2™ Professional Manual* (Lutz, Florida: PAR Psychological Assessment Resources, Inc., 1999), 16-17.

<sup>25</sup> *Ibid.*, 2.

<sup>26</sup> Charles Spielberger. *STAXI-2™ State-Trait Anger Expression Inventory-2™ Professional Manual* (Lutz, Florida: PAR Psychological Assessment Resources, Inc., 1999), 26.

<sup>27</sup> *Ibid.*, 17.

<sup>28</sup> *Ibid.*

<sup>29</sup> Miller (1998) as cited by Janice Kiecolt-Glaser, Lynanne McGuire, Theodore Robles, and Ronald Glaser, "Emotions, Morbidity, and Mortality: New Perspectives from Psychoneuroimmunology," <http://www.questia.com> (accessed on June 5, 2005).

<sup>30</sup> Rabin (1999) as cited by Janice Kiecolt-Glaser, Lynanne McGuire, Theodore Robles, and Ronald Glaser, "Emotions, Morbidity, and Mortality: New Perspectives from Psychoneuroimmunology," <http://www.questia.com> (accessed on June 5, 2005).

<sup>31</sup> <http://cpmcnet.columbia.edu/dept/gi/hepD.html> (accessed on December 29, 2005).

<sup>32</sup> *Ibid.*, 24.

<sup>33</sup> Harriet Beinfield and Efrem Korngold, *Between Heaven and Earth: A Guide to Chinese Medicine* (New York: The Random House Publishing Group, 1991), 145.

<sup>34</sup> Kiecolt-Glaser & Glaser (1988) as cited by Janice Kiecolt-Glaser, Lynanne McGuire, Theodore Robles, and Ronald Glaser, "Emotions, Morbidity, and Mortality: New Perspectives from Psychoneuroimmunology," <http://www.questia.com> (accessed on June 5, 2005).

<sup>35</sup> Su Wen, as cited by Ted Kaptchuk, *The Web That Has No Weaver: Understanding Chinese Medicine* (New York: McGraw Hill, 2000), 80.

<sup>36</sup> Daverick Leggett, *Recipes for Self-Healing* (Totnes, Devon: Meridian Press, 1999), 63.

<sup>37</sup> *Ibid.*, 60.

<sup>38</sup> *Ibid.*

<sup>39</sup> Harriet Beinfield and Efrem Korngold, *Between Heaven and Earth: A Guide to Chinese Medicine* (New York: The Random House Publishing Group, 1991), 142.

<sup>40</sup> *Ibid.*, 173.

<sup>41</sup> Harriet Beinfield and Efrem Korngold, *Between Heaven and Earth: A Guide to Chinese Medicine* (New York: The Random House Publishing Group, 1991), 145.

<sup>42</sup> Caroline Myss, *Anatomy of the Spirit: The Seven Stages of Power and Healing* (New York: Three Rivers Press, 1996), 167.

<sup>43</sup> *Ibid.*

<sup>44</sup> Stephen Jay Gould, *The Mismeasure of Man* (New York: W.W. Norton, 1981), 242.

<sup>45</sup> Robert Gish, M.D., Director of Liver Transplant, California Pacific Medical Center, as cited in an email to the researcher dated July 1, 2006.

---

<sup>46</sup> Williams (1997) as cited by Janice Kiecolt-Glaser, Lynanne McGuire, Theodore Robles, and Ronald Glaser, "Emotions, Morbidity, and Mortality: New Perspectives from Psychoneuroimmunology," <http://www.questia.com> (accessed on June 5, 2005).

## REFERENCES AND BIBLIOGRAPHY

- Achterberg, Jeanne, and G. Frank Lawlis. *Imagery and Disease*. Champaign, Ill: Institute for Personality and Ability Testing, 1984.
- Ader, Robert, David Felter, and Nicholas Cohen, eds. *Psychoneuroimmunology*. San Diego, CA: Academic Press, 1991.
- Ajaya, Swami. *Psychotherapy East and West*. Honesdale, PA: Himalayan Institute Press, 1984.
- Askari, Fred. *Hepatitis C, The Silent Epidemic: The Authoritative Guide*. Cambridge, MA: Perseus Books, 1999.
- Astin, John, and Deane Shapiro. "Measuring the Psychological Construct of Control: Applications to Transpersonal Psychology." *The Journal of Transpersonal Psychology* 29, no.1 (1997): 63-72.
- Bach, Edward. *Heal Thyself*. Cambridge, England: St. Edmundsbury Press, 1996.
- Ballantine, Rudolph. *Radical Healing: Integrating the World's Great Therapeutic Traditions to Create a New Transformative Medicine*. New York: Three Rivers Press, 1999.
- Barasch, Marc. "Welcome to the Mind-Body Revolution." *Psychology Today* 26, no. 4 (1993): 58-78.
- Becker, Frederick. *The Liver, Normal and Abnormal Functions*. New York: M. Dekker, 1974.
- Beinfeld, Harriet, and Efreim Korngold. *Between Heaven and Earth: A Guide to Chinese Medicine*. New York: The Random House Publishing Group, 1991.
- Benor, Daniel. *Healing Research: Holistic Energy Medicine and Spirituality*. Vol. 1. Munich: Helix Editions Ltd., 1993.
- . *Spiritual Healing: Scientific Validation of a Healing Revolution*. Southfield, MI: Vision Publications, 2001.
- . *Spiritual Healing: Scientific Validation of a Healing Revolution Professional Supplement*. Southfield, MI: Vision Publications, 2002.
- Benson, Herbert. *The Relaxation Response*. New York: HarperTorch, 1975.
- . *Timeless healing*. New York: Simon and Schuster, 1996.

- Berne, Eric. *Games People Play: The Basic Handbook of Transactional Analysis*. New York: The Random House Publishing Group, 1964.
- Blake, Robert and Glenn Ramsey. *Perception: An Approach to Personality*. New York: Ronald Press, 1951.
- Bonaguidi, Franco, M. Giovanna Trivella, and Claudio Michelassi. "Personality Changes as Defensive Responses of Patients Evaluated for Liver Transplant." *Psychological Reports* 88 (2001): 1211-1221.
- Bruyere, Rosalyn. *Wheels of Light: Chakras, Auras and the Healing Energy of the Body*. New York: Simon and Schuster, 1989.
- Bryden, Barbara. *Sundial: Theoretical Relationships Between Psychological Type, Talent and Disease*. Gainesville, FL: Center for Applications of Psychological Type, 2005.
- Bucke, Richard. *Cosmic Consciousness: The Classic Investigation of the Development of Man's Mystic Relation to the Infinite*. New York, NY: Penguin Putnam, 1969.
- Cheren, Stanley. *Psychosomatic Medicine: Theory, Physiology and Practice*. Madison, CN: International Universities Press, 1989.
- Christensen, Alan, and Shawna Ehlers. "Patient Personality and Mortality: A 4-Year Prospective Examination of Chronic Renal Insufficiency." *Health Psychology* 21, no. 4 (2002): 315-320.
- Church, Dawson, ed. *The Heart of Healing: Inspired Ideas, Wisdom and Comfort from Today's Leading Voices*. Santa Rosa, CA: Elite Books, 2004.
- Ciba Foundation Symposium: Liver Disease. Sherlock, Sheila and G.E. Wolstenholme, eds. *Liver Disease*. Philadelphia: Blakiston, 1951.
- Clarida, Jill. "Substance Abuse and Psychopathology in Patients With Chronic Hepatitis C." Conference paper, American Psychological Association, Washington D.C., 2003.
- Cohen, Misha, with Kalia Doner. *The Chinese Way to Healing: Many Paths to Wholeness*. New York: Berkeley Publishing Group, 1996.
- Cohen, Misha, and Robert Gish. *The Hepatitis C Help Book: A Groundbreaking Treatment Program Combining Western and eastern Medicine for Maximum Wellness and Healing*. New York: St. Martin's Press, 2000.
- Cousins, Norman. *Anatomy of an Illness as Perceived by the Patient*. New York: W.W. Norton, 1979.

- Curtis, Anthony. *Health Psychology*. New York: Routledge, 2000.
- Dacher, Elliott. *Intentional Healing: A Guide to the Mind/Body Healing System*. New York, NY: Marlowe, 1996.
- . *PNI: The New Mind/Body Healing Program*. New York: Paragon House, 1993.
- Daruna, Jorge. *Introduction to Psychoneuroimmunology*. Boston: Elsevier Academic Press, 2004.
- DeKeyser, F. "Psychoneuroimmunology In Critically Ill Patients." *AACN Clinical Issues, Advanced Practice in Acute Critical Care* 14 (2003): 25-32.
- Di Bisceglie, Adrian. "Preventive Strategies for Chronic Liver Disease." *American Family Physician* 2001. <http://www.aafp.org/afp/20011101/editorials.html> (accessed November 17, 2005).
- Dossey, Larry. *Healing Beyond the Body: Medicine and the Infinite Reach of the Mind*. Boston, MA: Shambhala Publications, 2001.
- . *Reinventing Medicine: Beyond Mind-Body to a New Era of Healing*. New York: HarperCollins, 1999.
- Eden, Donna and David Feinstein. *Energy Medicine*. New York: Penguin Putnam, 1998.
- Eddleston, A.L., Weber, J.C., and Roger Williams, eds. *Immune Reactions in Liver Disease*. New York: Focal Press, 1979.
- Eddy, Mary Baker. *Science and Health with Key to the Scriptures*. Boston, MA: Published by the trustees under the will of Mary Baker G. Eddy, 1906.
- Evans, Phil, Frank Hucklebridge, and Angela Clow. *Mind, Immunity and Health: The Science of Psychoneuroimmunology*. New York: Free Association Books, 2000.
- Everson, Gregory, and Hedy Weinberg. *Living With Hepatitis C: A Survivor's Guide*, revised edition. Long Island City, NY: Hatherleigh Press, 1999.
- Expert Meeting of Psychoneuroimmunology 2000 Innsbruck, Austria. B. Sperner-Unterweger, W.W. Fleischhacker, and W.P. Kaschka, eds. *Psychoneuroimmunology: Hypotheses and Current Research/6th Expert Meeting of Psychoimmunology, Innsbruck, January 21-22, 2000*. New York: Karger, 2001.
- Feldman, Mark, Lawrence Friedman, and Marvin Sleisenger, eds. *Sleisenger & Fordtran's Gastrointestinal and Liver Disease*, 7th ed. St. Louis, MO: MD Consult LLC, 2002. Also available online at <http://uclibs.org/PID/31086>.

- Feldman, Mark, Marvin Sleisenger, Bruce Scharschmidt, and Samuel Klein, eds. *Sleisenger & Fordtran's Gastrointestinal and Liver Disease: Pathophysiology, Diagnosis, Management* 6th ed. Philadelphia, PA: Saunders, 1998.
- Ford, Kenneth and Paul Hewitt. *The Quantum World: Quantum Physics for Everyone*. Cambridge, MA: Harvard University Press, 2004.
- Forshaw, Mark. *Essential Health Psychology*. New York: Oxford University Press, 2002.
- Freeman, Lyn and G. Frank Lawlis. *Mosby's Complementary & Alternative Medicine: A Research-Based Approach*. St. Louis, MO: Mosby, 2001.
- Furst, Jeffrey. *Edgar Cayce's Story of Attitudes and Emotions*. New York: The Edgar Cayce Foundation, 1972.
- Gabriel, Gerald. "Hans Selye: The Discovery of Stress."  
<http://www.brainconnection.com/topics/main=fa/selye> (accessed 12/13/05).
- Gerber, Richard. *A Practical Guide to Vibrational Medicine for the 21<sup>st</sup> Century*. New York: Harper Collins, 2000.
- Girish, N. Vyas, Jules Dienstag, and Jay Hoofnagle, eds. *Viral Hepatitis and Liver Disease*. Orlando, FL: Grune & Stratton, 1984.
- Gitlin, Norman, ed. *The Liver and Systemic Disease*. New York: Churchill Livingstone, 1997.
- Gordon, James. *Manifesto for a New Medicine: Your Guide to Healing Partnerships and the Wise Use of Alternative Therapies*. Reading, MA: Perseus Books, 1996.
- Gould, Stephen J. *The Mismeasure of Man*. New York: W.W. Norton, 1981.
- Greene, Brian. *The Elegant Universe: Superstrings, Hidden Dimensions, and the Quest for the Ultimate Theory*. New York: Vintage Books/Random House, 2000.
- Grof, Stanislav. "East and West: Ancient Wisdom and Modern Science." *The Journal of Transpersonal Psychology* 15, no. 1 (1983): 13-36.
- Halpern, Paul. *The Great Beyond: Higher Dimensions, Parallel Universes and the Extraordinary Search for a Theory of Everything*. Hoboken, NJ: Wiley Press, 2004.
- Hay, Louise. *Heal Your Body A-Z: The Mental Causes for Physical Illness and the Way to Overcome Them*. Carlsbad, CA: Hay House, 1998.
- . *You Can Heal Your Life*. Carlsbad, CA: Hay House, 1987.

- Hunt, Valerie. *Infinite Mind: Science of the Human Vibrations of Consciousness*. Malibu, CA: Malibu Publishing Company, 1989.
- International Symposium on Viral Hepatitis and Liver Disease. *Viral Hepatitis and Liver Disease: Proceedings of the International Symposium on Viral Hepatitis and Liver Disease, Held at the Barbican Centre, London, May 26-28, 1987*. Edited by A. J. Zuckerman. New York: Liss, 1988.
- Jahn, Robert, and Brenda Dunne. "Sensors, Filters, and the Source of Reality." *Journal of Scientific Exploration* 18, no. 4 (2004): 547-570.
- Jonas, Wayne and Ronald Chez, eds. *Definitions and Standards in Healing Research: First American Samuelli Symposium, Supplement, Alternative Therapies*, May/June 2003. Vol. 9 No. 3.
- Jonas, Wayne, and Cindy Crawford, eds. *Healing Intention and Energy Medicine*. Philadelphia: Elsevier Science Limited, 2003.
- Justice, Blair. *Who Gets Sick: Thinking and Health*. Houston, TX: Peak Press, 1987.
- Kaptchuk, Ted. *The Web That Has No Weaver: Understanding Chinese Medicine*. New York: McGraw Hill, 2000.
- Locke, Stephen, ed. *Foundations of Psychoneuroimmunology*. New York: Aldine Publishing, 1985.
- Kassy, Karen. *Health Intuition: A Simple Guide to Greater Well-Being*. Minnesota: Hazelden, 2000.
- Kiecolt-Glaser, J., L. McGuire, T. Robles, and R. Glaser. (2002). "Emotions, Morbidity, and Mortality: New Perspectives from Psychoneuroimmunology." *Annual Reviews Psychology*, 53 (2002): 83-107.
- Kleinman, Arthur. *The Illness Narratives: Suffering, Healing & the Human Condition*. Reading, MA: Perseus Books Group, 1988.
- Kmiec, Zbigniew. *Cooperation of Liver Cells in Health and Disease*. New York: Springer, 2001.
- Knoblauch, David, and Judith Falconer. "The Relationship of a Measured Taoist Orientation to Western Personality Dimensions." *The Journal of Transpersonal Psychology* 18, no. 1 (1986): 73-83.
- Koestler, Arthur. *The Act of Creation: A Study of the Conscious and Unconscious in Science and Art*. New York, NY: Dell Publishing, 1964.

- Kugler, J. M. Schedlowski, and K. Schulz, eds. *Psychoneuroimmunology: How the Brain and the Immune System Communicate With Each Other*. Scottsdale, AZ: Pabst Science Publishers, 1994.
- Kuriyama, Shigehisa. *The Expressiveness of the Body and the Divergence of Greek and Chinese Medicine*. New York: Zone Books, 2002.
- Leggett, Daverick. *Recipes for Self-Healing*. Totnes, Devon: Meridian Press, 1999.
- Lekander, Mats. "Ecological Immunology: The Role of the Immune System in Psychology and Neuroscience." *European Psychologist* 7, no. 2 (2002): 98-115.
- Leviton, Charles, and Patti Leviton. "The American Psychotherapy Association, The American Association of Integrative Medicine & The American College of Wellness Present the Evolution of Health Care: Unifying Mind, Body & Spirit." *Annals of the American Psychotherapy Association* 6, no. 2 (2003): 18-100.
- Lewith, George, Wayne Jonas, and Harald Walach, eds. *Clinical research in Complementary Therapies: Principles, Problems and Solutions*. London: Harcourt Publishers, 2002.
- Lichtenberg, Philip. "A Definition and Analysis of Depression." *Archives of Neurology and Psychiatry* 77 (1957): 519-527.
- Lieber, Charles. "Alcohol and Hepatitis C." *Alcohol Research & Health* 25, no. 4 (2001): 245-270.
- Lipton, Bruce. *The Biology of Belief: Unleashing the Power of Consciousness, Matter and Miracles*. Santa Rosa, CA: Mountain of Love/Elite Books, 2005.
- Mantler, Janet, E. Glenn Schellenbert, and J. Stewart Page. "Attributions for Serious Illness: Are Controllability, Responsibility, and Blame Different Constructs?" *Canadian Journal of Behavioural Science*, 35 no. 2 (2003):142-152.
- Maslow, Abraham. *Toward a Psychology of Being*, 3rd ed. New York: John Wiley & Sons, 1968.
- Masterton, George and Ronan E. O'Carroll. "Psychological Assessment in Liver Disease." *Bailliere's Clinical Gastroenterology* 9, no. 4 (1995): 791-809.
- McCartney, Francesca. *Body of Health: The New Science of Intuition Medicine for Energy and Balance*. Novato, CA: New World Library, 2005.
- Myss, Caroline. *Anatomy of the Spirit: The Seven Stages of Power and Healing*. New York: Three Rivers Press, 1996.

- . *Sacred Contracts: Awakening Your Divine Potential*. New York: Harmony Books, 2001.
- . *Why People Don't Heal and How They Can*. New York: Three Rivers Press, 1997.
- Myss, Caroline and C. Norman Shealy. *The Science of Medical Intuition: Self-diagnosis and Healing With Your Body's Energy Systems*, audiotape series. Colorado: Sounds True, 2002.
- Nagano, Jun, Shoji Nagase, Nobuyuka Sudo, and Chiharu Kubo. "Psychosocial Stress, Personality, and the Severity of Chronic Hepatitis C." *Psychosomatics* 45, no. 2 (2004): 100-106.
- Nakken, Craig. *The Addictive Personality: Understanding the Addictive Process and Compulsive Behavior*. Center City, MN: Hazelden Foundation, 1996.
- Nunley, Ann. *Inner Counselor: An Intuitive Guide for Life's Journey*. Pittsburgh, PA: Sterling House, 1998.
- O'Brien, Edward and Seymour Epstein. *MSEI, The Multidimensional Self-Esteem Inventory – Professional Manual*. Lutz, Florida: PAR Psychological Assessment Resources, Inc., 1988.
- Oschman, James. *Energy Medicine in Therapeutics and Human Performance*. London: Butterworth Heinemann, 2003.
- . *Energy Medicine: The Scientific Basis*. London: Harcourt Publishers Limited, 2000.
- Pavek, Gary. *A Guide to the Mind*. New York: Praeger Publishers, 1988.
- Peirce, Penney. *The Intuitive Way: A Guide to Living From Inner Wisdom*. New York: MJF Books, 1997.
- Pert, Candace. *Molecules of Emotion: The Science Behind Mind-Body Medicine*. New York: Touchstone, 1997.
- Pert, Candace, Henry Dreher, and Michael Ruff. "The Psychosomatic Network: Foundations of Mind-Body Medicine." *Alternative Therapies* 4, no. 4 (July, 1998): 30-41.
- Ritberger, Carol. *What Color is Your Personality?: Red, Orange, Yellow, Green*. Carlsbad, CA: Hay House, 2000.
- Rodgers, Joann. "Addiction: A Whole New View." *Psychology Today* 27, 5 (1994): 32-58.

- Roybal, Beth Ann. *Hepatitis C: A Personal Guide to Good Health*. Berkeley, CA: Ulysses Press, 1999.
- Saraydarian, Torkom. *Irritation: The Destructive Fire*. Houston, TX: Saraydarian Institute, 1983.
- Sandt, Lorren, and Tina St. John, eds. *Hepatitis C: Choices*, 2nd edition. Oregon City, OR: Hepatitis C Caring Ambassadors Program, 2002.
- Schedlowski, Manfred, and Uwe Tewes, eds. *Psychoneuroimmunology: An Interdisciplinary Introduction*. New York: Kluwer Academic/Plenum Publishers, 1999.
- Schmoll, Hans-Joachim, ed. *Psychoneuroimmunology: Interactions Between Brain, Nervous System, Behavior, Endocrine and Immune System*. Lewiston, NY: Hogrefe & Huber, 1992.
- Schneiderman, Neil, Philip McCabe, and Andrew Baum, eds. *Perspectives in Behavioral Medicine: Stress and Disease Processes*. Hillsdale, NJ: Lawrence Erlbaum Associates, 1992.
- . *Stress and Disease Processes*. Hillsdale, NJ: Lawrence Erlbaum Associates, 1992.
- Sensky, Tom. "Causal Attributions in Physical Illness." *Journal of Psychosomatic Research*, 43, no. 6 (1997): 565-573.
- Shealy, C. Norman. *Energetic Applications for Body/Mind/Spirit*, Course Workbook. Fairgrove, MO, 1999.
- . *Sacred Healing: The Curing Power of Energy and Spirituality*. Boston, MA: Element Books, 1999.
- Shifren, Kim, and Robert Bauserman. "The Relationship Between Instrumental and Expressive Traits, Health Behaviors and Perceived Physical Health." *Sex Roles: A Journal of Research*, vol.34 (1996): 841-73.
- Simonton, O. Carl, and Stephanie Simonton. "Belief Systems and Management of the Emotional Aspects of Malignancy." *The Journal of Transpersonal Psychology* 7, no. 1 (1975): 29-47.
- Song, Cai, and Brian Leonard. *Fundamentals of Psychoneuroimmunology*. New York: John Wiley Press, 2000.
- Spielberger, Charles. *State-Trait Anxiety Inventory, Form Y Manual*. Redwood City, CA: MindGarden Publishing, 1983.

- Spielberger, Charles. *STAXI-2™ State-Trait Anger Expression Inventory-2™ Professional Manual*. Lutz, Florida: PAR Psychological Assessment Resources, Inc., 1999.
- Stein, Marvin and Andrew Baum, eds. *Chronic Diseases*. Mahwah, NJ: Lawrence Erlbaum Associates, 1995.
- . *Perspectives in Behavioral Medicine: Chronic Diseases*. Mahwah, NJ: Lawrence Erlbaum Associates, 1995.
- Steiner, Claude. *Scripts People Live: Transactional Analysis of Life Scripts*. New York: Grove Press, 1974.
- Sutton, Stephen, Andrew Baum, and Marie Johnston, eds. *The Sage Handbook of Health Psychology*. Thousand Oaks, CA: Sage Publications, 2005.
- Targ, Russell and Jane Katra. *Miracles of Mind*. California: New World Library, 1998.
- Tart, Charles. *Waking Up: Overcoming the Obstacles to Human Potential*. Lincoln, NE: iUniverse.com, Inc, 1987.
- . *Open Mind, Discriminating Mind: Reflections of Human Possibilities*. New York: Harper & Row Publishers, 1989.
- Thiel, Thelma. "Viral Hepatitis: The Quiet Disease." *Ebony*, July 2004, 72-82.
- Tiller, William. *Science and Human Transformation: Subtle Energies, Intentionality and Consciousness*. Walnut Creek, CA: Pavior Publishing, 1997.
- Trowbridge, Bob. *The Hidden Meaning of Illness: Disease as a Symbol & Metaphor*. Virginia: A.R.E. Press, 2002.
- Twerski, Abraham. *Addictive Thinking: Understanding Self-Deception*, 2nd ed. Center City, MN: Hazelden Foundation, 1997.
- Warcollier, Rene. *Mind to Mind*. Charlottesville, VA: Hampton Roads Publishing Company, 1948.
- Watkins, Alan, ed. *Mind-Body Medicine: A Clinician's Guide to Psychoneuroimmunology*. New York: Churchill Livingstone, 1997.
- Weil, Andrew. *Spontaneous Healing*. New York: Ballentine Books, 1995.
- Welwood, John. "Befriending Emotion: Self-Knowledge and Transformation." *The Journal of Transpersonal Psychology* 11, no. 2 (1979): 141-160.

*What the Bleep Do We Know!?* dir. Mark Vicente, Betsy Chasse, and William Wentz, with Marlee Matlin and Elaine Hendrix, 1 hr. 48 min., Captured Light and Lord of the Wind Films, LLC, 2004, DVD.

Whitfield, Keith, Rodney Clark, Gerdi Weidner, and Norman Anderson.  
"Sociodemographic Diversity and Behavioral Medicine." *Journal of Consulting and Clinical Psychology* 70, no. 3 (2002): 463-481.

Wilber, Ken. *Integral Psychology*. Boston, MA: Shambhala Publications, 2000.

—. *A Theory of Everything*. Boston, MA: Shambhala Publications, 2000.

Wilber, Treya. "Attitudes and Cancer: What Kind of Help Really Helps?" *The Journal of Transpersonal Psychology* 20, no. 1 (1988): 49-59.

Young, Kimball. *Personality and Problems of Adjustment*. New York: F.S. Crofts, 1940.

## APPENDIX A

### Components of Self-Esteem as Defined by Edward O'Brien, Ph.D. and Seymour Epstein, Ph.D. - Characteristics of High and Low Scorers

#### A. Global Self-Esteem (GSE)

Pleased with self, feels significant as a person, self-confident, pleased with past, expects future successes.

Self-critical, dissatisfied with self, feels insignificant as a person, self-doubting, displeased with past, expects future failures unless major life changes are made.

#### B. Components of Self-esteem

##### Competence (CMP)

Competent, feels capable of mastering new tasks, learns quickly and does well at most things, feels talented, feels effective and capable.

Incompetent, feels unable to master new tasks, learns slowly and often fails in difficult endeavors, ineffective, feels lacking in skills or talents.

##### Lovability (LVE)

Worthy of love, feels cared for by loved ones, accepted as a person, can count on support from loved ones, able to express and receive feelings of love, involved in satisfying intimate relationship.

Unlovable, doubts that loved ones care, fears rejection because of certain aspects of personality, unsure whether loved ones can be counted on for support, has difficulty expressing or receiving feelings of love, doubts about finding or maintaining an intimate relationship.

##### Personal Power (PWR)

Powerful, successfully seeks positions of leadership, good at influencing others' opinions and behaviors, assertive, has a strong impact on others.

Powerless, poor leader and avoids leadership positions, a follower who is strongly influenced by others' opinions and behaviors, unassertive, rarely has a strong impact on others.

##### Self-control (SFC)

Self-disciplined, persevering, good at setting and achieving goals, not easily distracted, in control of emotions, exercises restraint in eating, drinking, and/or use of drugs.

Lacks self-discipline, often fails to complete tasks, difficulty with setting and achieving goals, easily distracted, not in control of emotions, lacks self-control in eating, drinking, or use of drugs.

##### Moral Self-approval (MOR)

Pleased with moral values and behavior, has clearly defined moral standards and acts in a way that is consistent with moral values, sets a positive moral example for others.

Guilty and displeased with moral values or behavior, unclear about moral beliefs and standards, often acts in an unethical or immoral manner, ashamed of setting a poor moral example for others.

**Body Appearance (BAP)**

Physically attractive, pleased with appearance, feels that others are attracted because of appearance, feels sexually attractive, takes care to enhance physical appearance.

Physically unattractive, displeased with appearance, feels that others are repelled by their looks, doubts sexual attractiveness, indifferent or unaware of ways to improve Physical appearance.

**Body Functioning (BFN)**

Well-coordinated, agile, in good physical condition, comfortable with body, enjoys physical activities such as dancing or sports, feels healthy and feels a sense of vitality and vigor in body functioning.

Awkward, clumsy, uncoordinated, in poor physical condition, uncomfortable with body, dislikes engaging in physical activities, feels unhealthy and that body is dull, lifeless, and sluggish.

**C. Identity Integration (IDN)**

Clear sense of identity, knows who he/she is, knows what he/she wants out of life, well defined long-term goals, inner sense of cohesion and integration of different aspects of self-concept.

Confused, lacking a sense of identity and purpose, unsure of what he/she wants out of life, no long-term goals, much inner conflict among different aspects of self-concept.

**D. Defensive Self-enhancement (DEF)**

Defensive, overly inflated view of self-worth, claims to possess highly unlikely positive qualities, denies ubiquitous human weaknesses.

Open, nondefensive evaluation of self-worth, makes no claims of rare virtues, and acknowledges common human weaknesses.

**Reproduced by special permission of the Publisher, Psychological Assessment Resources, Inc. 16204 N. Florida Avenue, Lutz, FL 33549, from the Multidimensional Self-Esteem Inventory by Edward J. O'Brien, Ph.D., and Seymour Epstein, Ph.D., Copyright © 1983, 1987, 1988 by Psychological Assessment Resources, Inc. Further reproduction is prohibited without permission from PAR, Inc.**

## **APPENDIX B**

### **California Pacific Medical Center Research Consent Form**

See Pages 109 through 113.

# HUMAN RESEARCH CONSENT FORM

**Specific Study Title: THE HEPATIC PERSONALITY: INTEGRATING WESTERN  
MEDICINE, EASTERN MEDICINE AND PSYCHONEUROIMMUNOLOGY**

## CALIFORNIA PACIFIC MEDICAL CENTER CONSENT TO ACT AS A RESEARCH PARTICIPANT

You are being asked to take part in a research study being conducted by Dr. Robert G. Gish & Carol L. Spence

Because you have Hepatitis C, or because you do not have Hepatitis C but have expressed interest in participating as a control subject in a study about Hepatitis C, you are being asked to participate in this study.

### A. WHAT IS THE PURPOSE OF THIS STUDY?

The purpose of doing this study is to show that there are personality characteristics that can potentially predispose an individual to a disease of the liver (hepatic personality). The study integrates the mind/body connection of the teachings of Western medicine, Eastern medicine (with emphasis on Chinese medicine), and the psychoneuroimmunology. Psychoneuroimmunology is the science of the connection of mind (psychology), the brain (neurology), and the body's natural healing system (the immune system) and links one's attitudes, emotions and behaviors and his or her health.

### B. WHAT HAPPENS TO YOU AND OTHER STUDY PARTICIPANTS?

The following procedures will be performed:

- 1.) You will be asked to respond to three questionnaires. The first questionnaire evaluates how you deal with anger, the second questionnaire evaluates feelings of apprehension, tension, nervousness, and worry; and the third questionnaire evaluates self-esteem.
- 2.) You will be asked to put the I.D. number given by the study staff on the answer sheets and to only fill out your age and gender information. **Your name is not required on the answer sheets.**
- 3.) Participation in this study will take approximately 30 minutes.
- 4.) Procedures will take place:

|                                   |                                    |
|-----------------------------------|------------------------------------|
| California Pacific Medical Center | East Bay Clinic                    |
| 2340 Clay St. 2 <sup>nd</sup> Fl  | 400 30 <sup>th</sup> St, Suite 200 |
| San Francisco, CA 94115           | Oakland, CA 94609                  |

**APPROVE**

JUN 6 2006

DATE PREPARED 6/5/2006

Page 1 of 5

**CPMC IRI**

F-2611- (2/96) - ALL HUMAN RESEARCH PROTOCOLS

**MEDICAL RECORDS: DO NOT DELETE THIS SIGNED FORM FROM PATIENT'S CHART**

# HUMAN RESEARCH CONSENT FORM

**Specific Study Title: THE HEPATIC PERSONALITY: INTEGRATING WESTERN  
MEDICINE, EASTERN MEDICINE AND PSYCHONEUROIMMUNOLOGY**

Sacramento Clinic  
1315 Alhambra Blvd. #210  
Sacramento, CA 95816

Modesto Clinic  
1635 Tully Road  
Modesto, CA 95359

Las Vegas Clinic  
3006 S. Maryland  
Parkway, #470  
Las Vegas, NV 89109

Fresno Clinic  
3755 Herndon Ave, Building 685  
Suite 101  
Clovis, CA 93611

Chico Clinic  
111 Raley Blvd.  
Suite 120  
Chico, CA 95920

Redding Clinic  
2252 Court St.  
Redding, CA 96001

Or, you may take the questionnaires to complete at home.

5.) About 100 participants will take part in this study.

### **C. WHAT ARE THE RISKS OF THIS STUDY?**

The interview and questionnaires may make you uncomfortable, but you are free to stop the process at any time.

There may be a risk of loss of confidentiality, but information about you will be handled as confidentially as possible as discussed in section F below.

### **D. WHAT ARE THE POTENTIAL BENEFITS TO YOU AND OTHERS?**

There will be no direct benefit to you from participating in this study. However, the long term benefits of this study may include improvements in the education and rehabilitation of patients with Hepatitis C.

### **E. ARE ALTERNATIVES AVAILABLE?**

You are free to choose not to participate in this study.

### **F. HOW CONFIDENTIAL ARE YOUR RECORDS?**

Your records of treatment will be kept confidential according to standard medical practice. Any information that is obtained in connection with this study that can identify you will remain confidential and will be disclosed only with your permission or as required by law. No individual identities will be used in any reports or publications resulting from the study. Study

APPROVED

DATE PREPARED 6/5/2006

Page 2 of 5

F-2611- (2/96) - ALL HUMAN RESEARCH PROTOCOLS

JUN 6 2006

**MEDICAL RECORDS: DO NOT DELETE THIS SIGNED FORM FROM PATIENT'S CHART** **EMC IRB**

# HUMAN RESEARCH CONSENT FORM

**Specific Study Title: THE HEPATIC PERSONALITY: INTEGRATING WESTERN MEDICINE, EASTERN MEDICINE AND PSYCHONEUROIMMUNOLOGY**

information will be coded, and kept in locked files at all times. Only study personnel and California Pacific Medical Center Institutional Review Board (committee established for the protection of rights of research participants) will have access to the files.

*An authorization describing how health information about you may be used and to whom it will be disclosed by the principal investigator and the research team will be provided to you. Federal and state law requires that patients must give authorization for use of their protected health information in order to participate in this research study. Please refer to the attached "Patient Authorization for the Use and Disclosure of Protected Health Information for Research" form.*

## **G. STATEMENT OF VOLUNTARY PARTICIPATION**

Your participation in this study is voluntary. Without any prejudice to your future medical treatment, you are free to take part in, or withdraw from the study at any time.

## **H. CONFLICT OF INTEREST AND INVESTIGATOR PAYMENT**

Your physician may also be an investigator of this research protocol, and, as an investigator, is interested not only in your clinical welfare, but the results of this study. It is possible that occasionally these two goals may be in conflict. At any time during this study, you may ask for a second opinion from another doctor who is in no way associated with this study at your own expense.

## **I. COSTS TO THE SUBJECT**

There will be no cost to you for participating in this study.

## **J. NEW FINDINGS**

You will be told of any significant new findings developed during the course of this study, which may relate to my willingness to continue my participation. You can ask for study results at its conclusion.

APPROVED

DATE PREPARED 6/5/2006

Page 3 of 5

JUN 6 2006

F-2611- (2/96) - ALL HUMAN RESEARCH PROTOCOLS

CPMC IRB

**MEDICAL RECORDS: DO NOT DELETE THIS SIGNED FORM FROM PATIENT'S CHART**

# HUMAN RESEARCH CONSENT FORM

**Specific Study Title: THE HEPATIC PERSONALITY: INTEGRATING WESTERN MEDICINE, EASTERN MEDICINE AND PSYCHONEUROIMMUNOLOGY**

**K. EXPERIMENTAL SUBJECT'S BILL OF RIGHTS**

A copy of the Experimental Subject's Bill of Rights and a copy of this consent form will be given to you for your own use.

**L. INVESTIGATOR'S NAME AND NUMBER**

This information was discussed with you by Dr. Robert Gish and/or Carol L. Spence. S/he will answer any further questions you may have concerning this study or the procedures. You can reach him/her at (415) 600-1000.

**M. IRB HOURS AND NUMBER**

Should you have any questions about your rights as a research participant, you may call the Institutional Review Board which is concerned with protection of volunteers in research projects, between 9 a.m. and 4 p.m., Monday through Friday, at (415) 600-3688 or by writing: CPMC Institutional Review Board Office, P.O. Box 7999, San Francisco, CA 94120.

APPROVED

JUN 6 2

DATE PREPARED 6/5/2006

Page 4 of 5

CPMC IR

F-2611- (2/96) - ALL HUMAN RESEARCH PROTOCOLS

**MEDICAL RECORDS: Do NOT DELETE THIS SIGNED FORM FROM PATIENT'S CHART**

# HUMAN RESEARCH CONSENT FORM

**Specific Study Title:** THE HEPATIC PERSONALITY: INTEGRATING WESTERN  
MEDICINE, EASTERN MEDICINE AND PSYCHONEUROIMMUNOLOGY

## SUBJECT'S STATEMENT:

*My signature below means that I have read the above information about the study and have had a chance to ask questions. I have been given a copy of this consent form; the Subject's Experimental Bill of Rights; and a copy of the Authorization for the Use and Disclosure of Protected Health Information for Research form. I have been told that by signing this consent form I am not giving up any of my legal rights. I voluntarily consent to participate in this research study.*

\_\_\_\_\_  
Printed Name of Participant or legal representative if appropriate

\_\_\_\_\_  
Participant's Signature or legal representative if appropriate

\_\_\_\_\_  
Date

\_\_\_\_\_  
Signature of Person Obtaining Consent/ Printed Name

\_\_\_\_\_  
Date

APPROVED

JUN 6 20

DATE PREPARED 6/5/2006

Page 5 of 5

CPMC IRE

F-2611- (2/96) - ALL HUMAN RESEARCH PROTOCOLS

**MEDICAL RECORDS: Do NOT DELETE THIS SIGNED FORM FROM PATIENT'S CHART**

## APPENDIX C

### Participant Informed Consent Form - Chinese Medicine Clinic

**RESEARCH TITLE:** THE HEPATIC PERSONALITY: INTEGRATING THE MORES OF WESTERN MEDICINE, EASTERN MEDICINE AND PSYCHONEUROIMMUNOLOGY

**PURPOSE OF RESEARCH:**

The purpose of this study is to learn if there are personality characteristics that can potentially predispose an individual to a disease of the liver (hepatic personality). The study integrates the mind/body connection of the teachings of Western medicine, Eastern medicine (with emphasis on Chinese medicine), and psychoneuroimmunology. Psychoneuroimmunology is the science of the connection of mind (psychology), the brain (neurology), and the body's natural healing system (the immune system) and links one's attitudes, emotions and behaviors and his or her health.

As a participant of this research, you will be asked to complete three (3) personality inventories. If it can be determined that emotions and personality traits exist common to individuals with HCV based on responses to the personality inventories, a behavior modification component to health care for the individual with a risk of acquiring HCV could be proposed.

You will be asked to put the I.D. number given by the study staff on the answer sheets and to only fill out your age and gender information. **Your name is not required on the answer sheets.**

Participation in this study will take approximately 30 minutes.

**RIGHTS OF PARTICIPANTS**

1. Your participation in this study is on a voluntary basis, and you have the right to withdraw from this study at any time.
2. All information obtained from the participants will be treated with confidentiality. Consent forms and patient questionnaires will be kept in a secured location to which the researcher will not have access. At the conclusion of this study this information may be made available to the researcher, but the participants' identity will not be disclosed in any accounting of this research.
3. As a participant of this study you have the right to read any reports of the research in which you have participated.
4. By initialing here: \_\_\_\_\_, you indicate that you wish to receive a copy of the research findings and agree that your research forms will be filed in your medical chart.

Carol L. Spence, principal researcher, will answer any questions you may have concerning this study or the procedures. She can be reached at (415) 271-1118.

**PARTICIPANT'S STATEMENT**

I have read the above information regarding the purpose of this study and the rights of participants. I voluntarily consent to participate in this research study.

\_\_\_\_\_  
Participant's Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Researcher's Signature

\_\_\_\_\_  
Date

April, 2006

## APPENDIX D

### Participant Informed Consent Form - General

**RESEARCH TITLE:** THE HEPATIC PERSONALITY: INTEGRATING THE MORES OF WESTERN MEDICINE, EASTERN MEDICINE AND PSYCHONEUROIMMUNOLOGY

**PURPOSE OF RESEARCH:**

The purpose of this study is to learn if there are personality characteristics that can potentially predispose an individual to a disease of the liver (hepatic personality). The study integrates the mind/body connection of the teachings of Western medicine, Eastern medicine (with emphasis on Chinese medicine), and psychoneuroimmunology. Psychoneuroimmunology is the science of the connection of mind (psychology), the brain (neurology), and the body's natural healing system (the immune system) and links one's attitudes, emotions and behaviors and his or her health.

As a participant of this research, you will be asked to complete three (3) personality inventories. If it can be determined that emotions and personality traits exist common to individuals with HCV based on responses to the personality inventories, a behavior modification component to health care for the individual with a risk of acquiring HCV could be proposed.

You will be asked to put the I.D. number given by the study staff on the answer sheets and to only fill out your age and gender information. **Your name is not required on the answer sheets.**

Participation in this study will take approximately 30 minutes.

**RIGHTS OF PARTICIPANTS**

1. Your participation in this study is on a voluntary basis, and you have the right to withdraw from this study at any time.
2. All information obtained from the participants will be treated with confidentiality. Consent forms and patient questionnaires will be kept in a secured location to which the researcher will not have access. At the conclusion of this study this information may be made available to the researcher, but the participants' identity will not be disclosed in any accounting of this research.
3. As a participant of this study you have the right to read any reports of the research in which you have participated.

Carol L. Spence, principal researcher, will answer any questions you may have concerning this study or the procedures. She can be reached at (415) 271-1118.

**PARTICIPANT'S STATEMENT**

I have read the above information regarding the purpose of this study and the rights of participants. I voluntarily consent to participate in this research study.

\_\_\_\_\_  
Participant's Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Researcher's Signature

\_\_\_\_\_  
Date

April, 2006

## APPENDIX E

### Patient Questionnaire - HCV

Name \_\_\_\_\_ Date \_\_\_\_\_  
Telephone Number \_\_\_\_\_  
Address \_\_\_\_\_  
Date of Birth \_\_\_\_\_

How did you get Hepatitis C?

- Injection or Drug Use
- Tattoo
- Blood Transfusion
- Dialysis
- Acupuncture
- Body Piercing
- Other

Month and Year Diagnosed with HCV \_\_\_\_\_

Have you ever undergone treatment for HCV (i.e.: Interferon, Ribavirin)? \_\_\_\_\_

If yes, how many times? \_\_\_\_\_

Please list your treatments below:

---

---

---

## APPENDIX F

### State-Trait Anxiety Inventory - Form Y

**Sample questions as allowed by special permission of the publisher, MindGarden, Inc., 1690 Woodside Road, Suite 202, Redwood City, California 94061**

**Permission granted: July 6, 2006**

**Copyright © 1983 by Charles D. Spielberger. All rights reserved. Further reproduction is prohibited without permission from MindGarden, Inc.**

- I get in a state of tension or turmoil as I think over my recent concerns and interests
  - Almost never, Sometimes, Often, Almost Always
- I am "calm, cool, and collected"
  - Almost never, Sometimes, Often, Almost Always
- I am presently worrying over possible misfortunes
  - Not At All, Somewhat, Moderately So, Very Much So
- I feel at ease
  - Not At All, Somewhat, Moderately So, Very Much So.
- I feel nervous and restless
  - Almost Never, Sometimes, Often, Almost Always

## APPENDIX G

### State-Trait Anger Expression Inventory - 2™

**Sample questions reproduced by special permission of the Publisher, Psychological Assessment Resources, Inc., 16204 North Florida Avenue, Lutz, FL 33549, from the STAXI-2 by Charles D. Spielberger, Ph.D., Copyright 1979, 1986, 1988, 1995, 1998, 1999, by Psychological Assessment Resources, Inc. Further reproduction is prohibited without permission from PAR, Inc.**

- I feel angry
  - Not At All, Somewhat, Moderately So, Very Much So
  
- I tend to harbor grudges that I don't tell anyone about
  - Almost Never, Sometimes, Often, Almost Always
  
- I control my urge to express my angry feelings
  - Almost Never, Sometimes, Often, Almost Always

## APPENDIX H

### Multidimensional Self-Esteem Inventory

**Sample questions reproduced by special permission of the Publisher, Psychological Assessment Resources, Inc., 16204 North Florida Avenue, Lutz, FL 33549, from the Multidimensional Self-Esteem Inventory by Edward J. O'Brien, Ph.D., and Seymour Epstein, Ph.D., Copyright 1983, 1987, 1988, by Psychological Assessment Resources, Inc. Further reproduction is prohibited without permission from PAR, Inc.**

- How often do you feel that you are a very important and significant person?
- How often do you feel highly satisfied with the way you live up to your moral values?
- How often do you have a strong influence on the attitudes and opinions of others?

- (1) Almost never
- (2) Seldom or rarely
- (3) Sometimes
- (4) Fairly often
- (5) Very often

## APPENDIX I

### Research Summary

Carol L. Spence, doctoral candidate at Holos University, is presently conducting her doctoral research that focuses on the whole-person approach to illness and healing. She is interested in quantifying the mind/body relationship; in lending quantitative foundation to qualitative inference relative to the theory of psychological contributors to disease. Carol's personal healing journey fueled a passion for scientifically measuring the impact of the personality (emotions, attitudes, and behaviors) in the manifestation and exacerbation of physical disease. Her research study, entitled: "The Hepatic Personality: Integrating the Mores of Western Medicine, Eastern Medicine, and Psychoneuroimmunology," evaluates personality profiles of chronic hepatitis C (HCV) patients. The study, as its title reveals, is an attempt to bridge the gap between Western and Eastern medicine and to show that one's attitudes, emotions, and behaviors play a potential role in the initiation and progression of chronic liver disease, namely HCV.

Carol is looking for participants for her research. She needs men and women between the ages of 30 and 70 who have been diagnosed with chronic hepatitis C (HCV). She also needs participants for the control group of this study: individuals between the ages of 30 and 70 who have never been diagnosed with liver disease. 100 individuals with HCV and 100 individuals without liver disease will take three short personality inventories. The inventories take approximately 20-30 minutes to complete and can be taken at home and returned in a self-addressed, stamped envelope. **Responses are confidential.**

Hepatitis C (HCV) is one of the most important forms of chronic disease discovered in the last twenty years<sup>1</sup> and is one of the most prevalent liver diseases in the world. The World Health Organization considers Hepatitis C an epidemic. For every person that is infected with the AIDS virus, **there are more than four infected with HCV.**<sup>2</sup> In industrialized countries, HCV accounts for 40% of cases of end-stage cirrhosis, 60% of cases of hepatocellular carcinoma and 30-54% of liver transplants. Chronic hepatitis C virus infection is the leading cause of cirrhosis in this country.<sup>3</sup>

The CDC estimates that there are up to 60,000 new HCV infections in the U.S. every year, with 8,000 to 10,000 deaths each year resulting from chronic HCV. Over the next 10-20 years chronic HCV is predicted to become a major burden on the health care system as patients who are currently asymptomatic with relatively mild disease progress to end-stage liver disease and develop hepatocellular carcinoma. Predictions in the USA indicate that there will be a 60% increase in the incidence of cirrhosis, a 68% increase in hepatoma incidence, a 279% increment in incidence of hepatic decompensation, a 528% increase in the need for transplantation, and a 223% increase in liver death rate.<sup>4</sup>

If it can be determined that specific personality traits are associated with HCV, a behavioral modification component to health care can be proposed that could optimize

the well-being of those individuals inflicted with this insidious disease of epidemic proportions.

For more information or to enroll in this study, please call (415) 271-1118 or email Carol at [courage@vom.com](mailto:courage@vom.com). **YOU CAN HELP CHANGE LIVES.**

#### End Notes

<sup>1</sup> Robert Gish, M.D., Director of Liver Transplant, California Pacific Medical Center, San Francisco - unpublished data.

<sup>2</sup> Adrian Di Bisceglie, "Preventive Strategies for Chronic Liver Disease," American Family Physician, 2001, <http://www.aafp.org/afp/20011101/editorials.html> (accessed November 17, 2005).

<sup>3</sup> Ibid.

<sup>4</sup> Ibid.

## **APPENDIX J**

### **Protected Authorization for the Use and Disclosure of Protected Health Information for Research**

See Pages 123 through 127.

CALIFORNIA PACIFIC MEDICAL CENTER

PATIENT AUTHORIZATION FOR THE USE AND DISCLOSURE  
OF PROTECTED HEALTH INFORMATION FOR RESEARCH

PARTICIPANT'S NAME: \_\_\_\_\_

PRINCIPAL INVESTIGATOR: ROBERT G. GISH, MD

PHONE: (415) 600-1000

ADDRESS OF PRINCIPAL INVESTIGATOR: 2340 CLAY STREET, SAN FRANCISCO,  
CA, 94117

RESEARCH STUDY TITLE: The Hepatic Personality: Integrating Western  
Medicine, Eastern Medicine and Psychoneuroimmunology

IRB STUDY NUMBER: 26.022EXP

AUTHORIZATION EXPIRATION DATE: NOVEMBER 22, 2035

Protected health information (PHI) is any health information including medical records, mental health records, billing records, survey data, and demographic data that is identified to you. By signing below, you are authorizing the principal investigator and the staff of California Pacific Medical Center participating in the research to collect, store, use, and disclose the PHI described below. You are also authorizing the principal investigator and the research team to request copies of your previous medical and/or billing records from the providers listed.

The main reason to share this information is to be able to conduct the research as described earlier in the research consent form. Information is also shared to report adverse events or situations that may help prevent other individuals at risk. Other reasons include treatment, payment, or health care operations.

APPROVED

FEB 10 2006

Date prepared: 02/09/2006

CPMC IRB

Page 1 of 5

**MEDICAL RECORDS: DO NOT DELETE THIS SIGNED FORM FROM PATIENT'S  
HART**

**CALIFORNIA PACIFIC MEDICAL CENTER**

**PATIENT AUTHORIZATION FOR THE USE AND DISCLOSURE  
OF PROTECTED HEALTH INFORMATION FOR RESEARCH**

Your authorization is required for participation in the research study. You may revoke your authorization at any time. This request must be in writing and must be signed by you or your legal representative, and mailed or delivered to the principal investigator at the address above. When your request is received, the principal investigator will stop collecting your information except as required to maintain the integrity of the research study or as required by law. For example, we may need to use your information to document why you have withdrawn from the study or to report adverse events.

During the research study, your research team will look at the following information:

**ALL HEALTH INFORMATION** pertaining to your medical history, mental or physical condition and treatment received. These records may include (check all that apply):

- Billing records for healthcare services
- Medical records
- Lab, pathology and/or radiology results
- Mental Health records
- Previous research records
- Questionnaires or interviews
- Other (specify): \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

APPROVED

FEB 10 2006

Date prepared: 02/09/2006

CPMC IRB

Page 2 of 5

**MEDICAL RECORDS: DO NOT DELETE THIS SIGNED FORM FROM PATIENT'S  
HART**

**CALIFORNIA PACIFIC MEDICAL CENTER**

**PATIENT AUTHORIZATION FOR THE USE AND DISCLOSURE  
OF PROTECTED HEALTH INFORMATION FOR RESEARCH**

The research team may disclose your PHI to the following individuals or organizations:

- California Pacific Medical Center Institutional Review Board for oversight purposes
  - Study sponsor: Carol L. Spence
  - Contract research organization: \_\_\_\_\_
  - Office of Human Research Protections (OHRP) in the U.S. Department of Health and Human Services (DHHS) for safety, efficacy, and compliance reports
  - Food and Drug Administration
  - National Institutes of Health
  - Other federal or state agencies that have authority over the research project or other governmental offices as required by law
  - Other medical centers/institutions outside of California Pacific Medical Center participating in the research
  - A data safety monitoring board, if applicable
  - Statistician for data analysis
  - Outside lab for specimen processing
  - Others (list all that apply) \_\_\_\_\_
- \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED

FEB 10 2006

Date prepared: 02/09/2006

CPMC IRB

Page 3 of 5

**MEDICAL RECORDS: DO NOT DELETE THIS SIGNED FORM FROM PATIENT'S  
HART**

**CALIFORNIA PACIFIC MEDICAL CENTER**

**PATIENT AUTHORIZATION FOR THE USE AND DISCLOSURE  
OF PROTECTED HEALTH INFORMATION FOR RESEARCH**

During the research study, we may request copies of your PHI from the following sources (list all that apply):

Name:

Address:

Name:

Address:

California Pacific Medical Center is required by federal and state laws to protect your health information. California law prohibits the recipient of this information from making further disclosure of your health information unless the recipient obtains another authorization from you or unless the disclosure is required or permitted by law. This protection does not extend to recipients outside the state of California. There is always the possibility that your health information could be disclosed to a party that is not required to protect its confidentiality.

You have the right to choose not to sign this form. However, if you decide not to sign, you cannot participate in the research study. Refusing to sign will not prejudice your future medical treatment at this institution.

APPROVED

FEB 10 2006

CPMC IRB

Date prepared: 02/09/2006

Page 4 of 5

**MEDICAL RECORDS: DO NOT DELETE THIS SIGNED FORM FROM PATIENT'S CHART**

CALIFORNIA PACIFIC MEDICAL CENTER

PATIENT AUTHORIZATION FOR THE USE AND DISCLOSURE  
OF PROTECTED HEALTH INFORMATION FOR RESEARCH

*PARTICIPANT'S STATEMENT:*

I acknowledge that my right to access my health information pertaining to the research study will be suspended until the study is concluded.

I hereby authorize the Principal Investigator listed above and the research team to use and disclose my protected health information as described herein.

Participant's Name: \_\_\_\_\_

Participant's Signature: \_\_\_\_\_

Date: \_\_\_\_\_

If conservator or individual authorized to make health decisions on behalf of the participant, state relationship to participant: \_\_\_\_\_

APPROVED

FEB 10 2006

CPMC IRB

Date prepared: 02/09/2006

Page 5 of 5

**MEDICAL RECORDS: DO NOT DELETE THIS SIGNED FORM FROM PATIENT'S CHART**

## APPENDIX K

### Recruitment Flier

# WE NEED YOU!!


**WE INVITE YOU TO PARTICIPATE IN A RESEARCH STUDY.**

We need people who have not been diagnosed with liver disease and individuals who have been diagnosed with hepatitis C to take three short personality questionnaires in order to determine if there are specific personality traits associated with this disease.

Responses are completely confidential. Through your participation we hope to more effectively treat those who have been diagnosed with the chronic hepatitis C virus and to better assist them with their own self-care.

**YOU CAN HELP US CHANGE LIVES.**

**For more information on how to participate in this research study please ask your doctor, or call (415) 271-1118.**



## APPENDIX L

### Patient Questionnaire - Control Group

Name \_\_\_\_\_ Date \_\_\_\_\_

Telephone Number \_\_\_\_\_

Address \_\_\_\_\_

Date of Birth \_\_\_\_\_

Have you ever been diagnosed with:

Hepatitis C: (yes)\_\_\_\_ (no)\_\_\_\_

Other liver disease (yes)\_\_\_\_ (no)\_\_\_\_ If yes, what type \_\_\_\_\_

## **APPENDIX M**

### **Publishers' Permission Letters**

See Pages 131-134.

**PAR**  
**Psychological  
Assessment  
Resources**

16204 N. FLORIDA AVENUE  
LUTZ, FLORIDA 33549  
Tel: (813) 968-3000  
Fax: (813) 968-2598  
www.parinc.com

**Sent Via Email:**

July 6, 2006

Carol L. Spence

Dear Ms. Spence:

In response to your recent request, permission is hereby granted to you to include up to a total of three (3) sample items from the State-Trait Anger Expression Inventory (STAXI-2) and up to a total of three (3) sample items from The Multidimensional Self-Esteem Inventory (MSEI) in the appendix of your dissertation titled, *The Hepatic Personality: Integrating the Mores of Western Medicine, Eastern Medicine and Psychoneuroimmunology*.

This Agreement is subject to the following restrictions:

- (1) Any and all material will contain the following credit line:

For the STAXI-2:

"Reproduced by special permission of the Publisher, Psychological Assessment Resources, Inc., 16204 North Florida Avenue, Lutz, FL 33549, from the STAXI-2 by Charles D. Spielberger, Ph.D., Copyright 1979, 1986, 1988, 1995, 1998, 1999, by Psychological Assessment Resources, Inc. Further reproduction is prohibited without permission from PAR, Inc."



**PAR**  
**Psychological**  
**Assessment**  
**Resources**

16204 N. FLORIDA AVENUE  
LUTZ, FLORIDA 33549  
Tel: (813) 968-3003  
Fax: (813) 968-2598  
www.parinc.com

Sent Via Email:

July 28, 2006

Camil L. Spence

Dear Ms. Spence:

In response to your recent request, permission is hereby granted to you to include Table 2, "Characteristics of High and Low Scores" from The Multidimensional Self-Esteem Inventory (MSEI) Manual in the appendix of your dissertation titled, *The Hepatic Personality: Integrating the Mores of Western Medicine, Eastern Medicine and Psychoneuroimmunology*.

This Agreement is subject to the following restrictions:

- (1) Any and all material will contain the following credit line:

"Reproduced by special permission of the Publisher, Psychological Assessment Resources, Inc., 16204 North Florida Avenue, Lutz, FL 33549, from The Multidimensional Self-Esteem Inventory by Edward J. O'Brien, Ph.D., and Seymour Epstein, Ph.D., Copyright 1983, 1987, 1988, by Psychological Assessment Resources, Inc. Further reproduction is prohibited without permission from PAR, Inc."

- (2) None of the material may be sold, given away, or used for purposes other than those described above.
- (3) Payment of a permission fee will be waived.

C:\Documents and Settings\Camil L. Spence\Local Settings\Temporary Internet Files\Content.IE5\HYRLE3\04MSEI\Appendix Table 2.doc

*A tradition of innovative assessment solutions and unparalleled service.*



---

*As far as we can discern, the sole purpose of existence is to kindle a  
light in the darkness of being.*

➤ Carl Jung